SIEMENS

Built-in appliances innovations

2012 Autumn

eco+
More efficiency, more performance

2 years Guarantee

German Technology

Siemens. The future moving in.

Siemens brings the future home

Siemens is the number one German brand and Europe's leading manufacturer of home appliances. The brand stands for outstanding engineering executed with creativity, precision and perfection – values that have characterised the Siemens brand for more than 165 years.

The continual application of new technologies put Siemens home appliances among the most resource-efficient in the industry. Siemens appliances make technical progress exciting.

"...of an enterprise that, through its own inventions and its entrepreneurial vision, contributes to enhancing the knowledge and well-being of humanity."

Werner von Siemens

We don't just pursue visions – We make dreams a reality.

When the founder of our company, Werner von Siemens, came to Berlin at the age of 17, he had nothing more than just a dream "of an enterprise that, through its own inventions and its entrepreneurial vision, contributes to enhancing the knowledge and well-being of humanity."

For more than 165 years , Siemens has been one of Germany's greatest industrial and technological brands with activities spanning the entire breadth of the electrical engineering industry. The brand personifies the timeless vision of Mr. Siemens: "progress in the service of mankind". Management of the home appliances business under the Siemens brand has been exercised by BSH Bosch and Siemens Hausgeräte GmbH since 1967.

We bring the future closer to people – in their homes.

It's in our genes to look further into the future than others in order to offer technical solutions to the major challenges of our time. This also holds true for those innovations with which we improve the quality of life in people's homes.

No invention contributes more to our well-being than those we come into contact on a daily basis. And no environmental technology is more valuable than one that is used a million-fold. From the first stoves and washing machines in the 1920s to the first fully automatic dishwasher and the invention of zeolite drying technology – with the innovative strength of our global enterprise, we ensure that the future finds its way into people's homes.

Siemens home appliances set standards in the market. They are the expression of progressive ideas, a consistent quest for performance and a strong stylistic awareness to satisfy the most diverse demands of a modern lifestyle. Our timeless and contemporary designs receive continued recognition from many major international design awards, including iF and reddot.

Intelligent home appliances do almost everything better – and automatically.

Automatic and precise gear changes, more efficient fuel consumption, arrival at the right destination almost automatically – this kind of intelligent technology that we tend to take for granted in our cars should also be present in our homes to provide constant convenience. Enter the intelligent home appliances from Siemens, which automatically perform almost every task better and even more efficiently than we could possibly do ourselves. We've provided each Siemens home appliance with the knowledge it needs, for example, to automatically remove 16 different types of stain on laundry, automatically clean dryer condensers, automatically cook roasts, automatically keep vegetables and meats fresh three times longer, and automatically wash dishes both quickly and efficiently. Just as human beings rely on their five senses to make wise decisions, the intelligent systems in Siemens home appliances rely on their "eyes and ears" to take precise and unerring control of processes. Highly sensitive sensors are constantly transmitting precise information to the appliances' "brain" so that they can automatically implement the next correct step. Find out how even housework can become a favorite pastime – with intelligent home appliances from Siemens.

Intelligent refrigeration

Now you can enjoy fresh foods anytime – and trust Siemens refrigeration appliances to know the best conditions for cold storage. Thanks to their innovative features and intelligent inverter compressor technology, these appliances register every change in temperature while constantly, quietly and highly efficiently adjusting refrigeration conditions. With freshSense, they can instantly respond to temperature changes and maintain a constant level. Besides, the vitaFresh compartments keep produce, meat, and fish fresh up to three times longer.

Intelligent dishwashing

Experience the brilliant shine of sparkling clean dishes – and the satisfaction of having a Siemens dishwasher to reliably relieve you of this tedious kitchen task. Winner of multiple awards and world record holder for the lowest energy consumption at only 0.67 kWh, Siemens' innovative Zeolite drying always delivers brilliant dishwashing results. Thanks to the iQdrive motor's intelligent ability to selectively increase its output, you can reduce washing time by up to 66% with varioSpeed Plus. And, finally, the "turboSpeed 20 min." option gets dishes perfectly clean in a mere 20 minutes.



Intelligent laundry care

Look forward to laundry that is flawlessly clean and dry and to the fact that your Siemens washer and washer dryer do almost all the work automatically for you. All of our washing machines feature the autoload system, which automatically tailors the wash programme to suit the size of the load, optimising energy and water usage. Thanks to the duoTronic technology, a set of internal sensors to the drum air temperature and humidity instructs an accurate drying time for clothing, hence avoids excessive drying and overheating. Whenever the machine senses a leak, aquaStop immediately cuts off the water supply from the tap to prevent harm to the machine and other furnitures.

aquaStop

duoTronic

Intelligent cooking

Experience more joy in your kitchen – and a new freedom in cooking. You can place your pots and pans anywhere on the unique flexInduction hob without the restrictions of cooking zones. The innovative surface induction automatically detects the shape and size of the cookware. In the oven, 3D hot air plus not only distributes the heat perfectly, but also turns out perfect baked goods. And thanks to the automatic function, Siemens' chimney hood always adapts automatically to the density of the steam.

flexInduction

hot air plus

Siemens appliances don't just work incredibly well – they are incredible.

In design, form follows function

Siemens develops and designs technological worlds where progress can be experienced firsthand and design plays a key role. The Siemens design is characterized by straight lines, architectural clarity and the use of groundbreaking materials and processing technologies. New lighting, sensor, and interactive technologies lend highly expressive accents. Technology becomes an experience for all the senses and Siemens design becomes an unmistakable mark of quality that guarantees the enjoyment of well-crafted products for many years to come.

Siemens home appliances don't just look fantastic – they are fantastic

You'll enjoy the clear, bold lines, high-quality materials and high-precision craftsmanship of the Siemens design for years to come. Many design juries agree. For instance, Siemens home appliances have won the following design awards:

- the "iF product design award" (over 191 times),
- the "red dot design award winner" (over 149 times),
- the "red dot best of the best" (4 times),
- and the "iF product design award gold" (3 times).

product design award 2012

reddot design award winner 2012

"At Siemens, design always starts with technological innovations, which requires new approaches to design."

Gerhard Nüssler
Head of Design, Siemens

Highest ratings for Siemens home appliances

Stiftung Warentest, an independent foundation established by the German government, has been conducting product tests since 1964. Ninety-six percent of German adults are familiar with Stiftung Warentest, a third of whom rely on its test results. Siemens home appliances have always succeeded in winning the top awards. Winners include washing machine, dryer, dishwasher, refrigerator, combination refrigerator/freezer and steam oven.

Awarded with Grade 1 Hong Kong energy label

The refrigerator is the third highest energy consuming appliance in your home. Siemens has always aimed for the lowest possible energy consumption rates for our appliances. All models of Siemens cooling range and washing machines are awarded with Grade 1 Hong Kong energy label.

Grade 1
HK energy label

Environmentally friendly refrigerant

Siemens uses refrigerant R600a, which has an Ozone Depleting Potential (ODP) of zero and a very low Global Warming Potential (GWP). To eliminate greenhouse gas emission, Siemens invested in a refrigerant recycling machine to collect the refrigerant from old refrigerators in Hong Kong. Moreover, a Government authorised recycling organisation is appointed to take care of the remaining parts.

Ideas for more efficiency.

Resource-saving appliances from Siemens.

You can save the most resources where they are used – at your home

Environmental protection starts at home, since cooking and refrigeration consume 39%* of the total energy used in a common household. Of the 130 litres of water used in household per person per day in Hong Kong#, almost 1/6 is used for washing clothes and dishes. The use of new energy-saving appliances can make a difference here, for the environment and against the inexorably rising cost of living.

The sign of efficiency: eco+ by Siemens

Siemens' technical innovations make possible top efficiency and performance alike. Our appliances are at the top of EU energy savings classifications and some are much better. As a sign of their especially low energy consumption, the best Siemens appliances show the eco+ logo. That makes it easier to identify the most energy-efficient appliances when you're shopping, to help you save money and the environment.

A+++ Energy

eco+ More efficiency, more performance

The population is growing. Unfortunately, our resources are not

Today the world is home to over 7 billion people. They watch TV, cook, heat, bathe, wash, and refrigerate. Each of them uses electricity and naturally also raw materials like water. The population continues to grow, and with it the demand for energy and drinking water. Yet already over 1 billion do not have access to clean water, and that number is rising. Thus, saving resources only makes sense.

*Source: EMSD Hong Kong Energy End-user Data 2011
Source: Water Supplies Department, HK. Feb 2012

Knowledge and expertise about built-in appliances only Siemens can provide.

Siemens, being a built-in expert in Hong Kong, meaning we will take care of everything for you, from planning your kitchen layout, choosing the best appliances for you, to delivery and installation. We will look after every step so you can sit back and relax.

Kitchen planning

We understand that working in the kitchen can be quite tiring if it is not well-planned ahead especially from ergonomic point of view. Our expert could pay an onsite visit before installation and work hand in hand with your kitchen specialist to create a perfect and harmony kitchen for your home.

Choosing the most suitable appliances

We learn from our customers and take their cook habit into consideration when it comes to choosing appliances. Not to mention we will also take note on the layout of your kitchen to ensure your appliances can be fully utilized. At Siemens, our experienced team could give valuable advices and make certain your appliances are your best choice.

Precise delivery

Our logistic team ensures the appliances arrive safely and timely at your home as we know how much you care about your purchase. We deliver and unload the appliances exactly where you desire them to be located* even it requires staircase uplifted or remote area delivery such as Discovery Bay. Most importantly, we do it for you, for free.

Professional installation

At Siemens, we ensure all installations are carried out at high quality standard. The built-in appliances are well fitted into the kitchen cabinets. What's more, we will test your appliance after installation and also offer you a briefing on basic setting and operation.

At Siemens, we are determined to bring you worry free and most enjoyable purchase experience.

* Terms and conditions apply. For details, please consult Siemens Product Hotlines.

Table of contents

OVEN

14 – 35

Compact45

36 – 53

HOB

54 – 77

HOOD

78 – 93

REFRIGERATOR

94 – 123

DISHWASHER

124 – 145

LAUNDRY

146 – 151

ACCESSORIES

152 – 159

OUR SERVICE

160 – 161

EXPERIENCE CENTRE

162 – 163

Oven

A complete breakthrough of design and technology, the oven range possesses a unique style like no other. Its combined use of high quality stainless steel and black glass, in addition to the lightControl operating panel, showcases the edgy design while its smart cooking technology together creates a range of ovens second to none in the market.

Love cooking.
Care for the environment.

Energy efficient ovens

We make sure all our ovens are efficient. In fact, all Siemens 60cm ovens main cavities achieve a European Class A rating for energy efficiency. To top that, all of them are at least 20% more efficient than A. Selected models now feature Hot air Eco, an advanced new energy saving function which is 30% more efficient than A rated appliances.

Energy efficient hobs

As well as being one of the quickest and safest methods of cooking available, induction cooking is also one of the most efficient. Cooking on an induction hob is 40% faster, and a whole 25% more energy efficient, than cooking with gas.

Energy efficient hoods

Most of our extractor hoods feature safe and efficient low-voltage halogen lights. They offer excellent illumination of the hob space underneath, and yet each bulb uses 35% less energy than a standard 40 watt cooker hood bulb, and 5% less energy than a standard 28 watt halogen bulb. Our 20 watt halogen bulbs need replacing much less often too.

98% of all components in a Siemens built-in kitchen appliance are recyclable.

eco+
More efficiency, more performance

Supporting environmental initiatives – the EU energy efficiency class

All ovens, regardless of manufacturer, carry an EU energy label. The label categorises the appliance according to its energy efficiency; Class A appliances being the most energy efficient, Class G the least. In order to help you spot our energy-saving products, we have awarded eco+ logo to any oven which rated A-20% grade in energy efficiency.

Halogen bulb light saving benefits


4000
3000
2000
1000
0
Life of bulbs in hours
In 2 years 9 months a standard 40W bulb would need to be replaced 9 times.
Uses 35% less energy than standard 40W
Uses 5% less energy than standard 28W halogen
Halogen capsule 20W (low voltage = safer)
Uses 30% less energy than standard 40W Less heat
Halogen 28W candle bulb
Standard 40W cooker hood candle bulb
10
20
28
40
Energy (watts)

Constantly improving efficiency

90% of the environmental impact of an appliance occurs during use, which is why our most important contribution towards protecting the environment is to develop products that conserve energy. A comparison of energy consumption between a 1993 oven and the latest model shows a 40% reduction.



*According to DIN EN 50304.
Source: BSH Bosch and Siemens Hausgeräte GmbH

Great looking from inside to outside

Clear and bright TFT display

Introducing the new ultra-high resolution TFT display for Siemens built-in ovens, steam ovens and microwave. The new TFT monitors combined with the clearText display will bring you a thrilling experience ever than before. With our new display, all information becomes readable from almost every angle. What's more, to give your eyes ultimate comfort you can adjust the brightness and contrastness of the display according to your own preference. Cooking with the new built-in oven could not be any easier – white for display, blue for control and red for warning messages.

lightControl

Siemens lightControl concept facilitates cooking instinctively. Begins at the moment you turn on the oven, its flexibility is greatly enhanced through a sequential reading direction for your control. It also eases visual by separating the display and control elements with white for display and blue for control.

Highlighted in a cool and elegant blue colour, the retractable control dial at the centre will gather the most important data at one glance. On the side, the blue push button illumination will show you the functions which are currently active.

Discover the benefits of TFT display ovens
Scan our QR code to find out more.

Sleek flush-in panel design

The retractable rotary control knob can be pushed flush to give a stylish and sleek appearance. All the controls are easy to reach, simple to use and are centrally positioned on the fascia, making them extremely user friendly.



Four clock display options

At Siemens, our clocks do more than just telling time. They are all minute reminders and most of them will also help pre-set the oven to switch off, or switch on then off at a specific time. Our premium range ovens come with graphic display and clearText that offer you the choice of four different display options: 3 analogue and 1 digital.

Portal doorframe

An exclusive design at Siemens, stainless steel is used and extended to the doorframe and inboard presenting with great elegance. Even more, our doorframe is made seamless for heat preservation inside the oven.

clearText display

Siemens makes cooking information easy to read with the concept of black on white or white on black display so that you can keep easy track of the cooking progress.
The large letters and the alternating black and white background of the display tell immediately the current settings, together with the current time, programme status and other details. The information on the white background shows the changeable settings while information on the black background indicates settings that are currently inactive.

An oven that cleans itself

Time is always precious therefore must spend wisely. Choosing oven with our self-cleaning program can allow you to use the time to do your favorite activities such as watching TV, reading a bed-time story for your beloved kids, spending quality time with your family.

activeClean® the ultimate self - cleaning program

Thanks to our activeClean® program, now your oven can be cleaned with an easy and environment friendly way by simply press a button. This works by simply heating the oven to 500°C and superheating all food residues to ashes. What's more, you can now throw away all your toxic chemical detergents or sprays which remove stains as now you can simply use a cloth to wipe all the ashes away. There are three different levels available in this program to choose from and it all depends on the amount of residues in the cavity. With this special program, it is guaranteed to keep the cavity cleaned to perfection and last for a lifetime.

activeClean®

Domed glass inner door

The innovative domed glass inner door is now featured on the activeClean® oven. The domed part of the oven now sits inside the cavity when the door is closed. This ensures the heat will stay inside the oven cavity and the activeClean® program will clean the oven cavity as well as the glass door.

Cleaning, not a problem

Cleaning after cooking a meal can be very frustrating. Not only it uses man-hour, we also need extra effort and all necessary tools to complete the job. But now with our ecoClean® program, things are done automatically.

ecoClean® has just become easier than before

This innovative technology is 4 times more efficient than the standard catalytic liners. The self-cleaning walls ecoClean never need to be replaced and exceed the service life of the oven. This ecoClean® wall is your best partner when it comes to cleaning your oven.

ecoClean

The layers of the ecoClean liner



Evolutionary cleaning by ecoClean®

During the cooking process, grease and fat deposits are absorbed into the liners and dispersed around the microscopic ceramic spheres which reduce cooking odours by as much as 80%. At an optimum heat of 270°C during the cleaning cycle, oxygen is then released, oxidizing every trace of grease absorbed within the liners. Once the cleaning cycle is completed, the liners are totally renewed.

Unlimited lifespan

The ecoClean liners consist of several layers of porous microscopic ceramic spheres, each filled with an abundant supply of oxygen. The oxygen reservoirs are replenished the next time the oven is heated. The unlimited lifespan ensures the same excellent cleaning performance time after time.

Smart and practical for cooking

Full telescopic rails with 'STOP'

The telescopic rails are an ideal option if your oven has to be tucked away. Shelves can glide effortlessly reducing the work for those heavy roasts. With these clever rails, you don't have to reach into a hot oven to enhance safety. What's more, the pair of rails will be kept together at the same position when fully extended as we have introduced a 'stopper' to lock the rails. To release the rails from the lock, simply give it a gentle push.

Quiet softClose door design

Don't want to disturb the others while you cooking? With the new softClose door, your guest would not notice you are baking with your oven. While closing the oven door, a slight push is all you need to close the oven door and this special hidden mechanism will act as a cushions the door to provide quiet action. Every small details like this will provide a big difference to our daily life.

Discover the benefits of our telescopic rails
Scan our QR code to find out more.

Discover the benefits of the softClose door
Scan our QR code to find out more.

Cooking solutions for every need

Siemens oven represents perfection, from the point of function view. Designed to give free rein to the imagination of any cook, the various advanced cooking functions open new possibilities in the kitchen. What's more, cooking a meal with our oven will use no more than 3.65kW per hour while using a traditional hob would be 7.2kW per hour. Reducing energy consumption by 50%. Save money, save energy.

cookControl

Siemens cookControl system offers simple and trouble-free cooking solution to stews, casseroles and roasts with as many as 68 settings. All you need to do is to select the desired programme from the menu and enter the weight. The oven will automatically select the cooking function, temperature and time. You can, if you want, adjust the programme to suit your personal taste. The intensively-tested programmes are designed so you don't need to turn, stir, baste or attend to the food.

Automatic temperature proposal

Our oven will automatically suggest an appropriate cooking temperature depending on the chosen function for the best result. Adjusting the temperature is easy by using the central control knob.

Electronic temperature sensor

Siemens understands that accurate and steady temperature is one of the keys to success for cooking. Our hi-precision electronic temperature sensor is accurate right down to the lowest few degrees. Widely ranged from 30°C to 300°C, this incredible sensor is able to stabilize temperature at an accurate level. This means that the ultra low temperature required for yoghurt making is just as precisely sustained as the 200°C for bread baking – your key to success.

Meat probe

The single point sensor constantly measures the temperature at the core of the roast. All you have to do is to plug the meat probe into the heart of the roast, select the desired temperature for a skillful roasting without overheating. The selectable core temperature ranges from 30°C to 99°C and the maximum recommended oven temperature for roasting is 250°C.

Rapid heat function

No more wait for the oven to reach a desired temperature! Siemens rapid heat function uses all the heating elements at full power to heat up the oven around 30% faster than usual. Once the required temperature is reached, an alarm signal will sound and the oven will automatically return to the chosen cooking mode.

Memory function

Our memory function allows you to store your favourite setting and can be easily recalled next time when you cook. Select function, temperature and cooking duration then press the "M" button, your setting will be stored in the oven's memory. To recall the stored setting, press "M" and start button. Cooking is sure to be a complete success.

Interior

The grey enamel interior is very hard wearing. It is scratch and impact resistant, and not susceptible to chemical erosion by, for instance, fruit acids. We use the same protective grey enamel coating on the roasting/grill pan supplied with the ovens. We have deliberately made the interior surface less dark than that of many ovens, and this, together with the improved lighting, means you can see exactly what's going on inside the oven without having to let heat escape by opening the door.

Recessed grill element

We've recessed the grill element into the roof. Not only does this make for energy efficient grilling, it also leaves more room inside the oven and helps prevent accidental contact with the heating element.

Cooling fan

The integral cooling fan is designed to keep the control panel operating components cool, and it also helps reduce the temperatures of both the oven door and any adjacent furniture.

Electronic control

Our ovens are designed to be clear and simple to use. The hi-precision electronic temperature sensor is incredibly accurate, and with a range of 30°C to 300°C, the ultralow temperature required for producing yoghurt is just as accurately maintained as the 200°C needed for baking bread, ensuring total success time after time.

Retractable controls

Retractable dial controls make it easier to keep the oven clean because the dials can be depressed.

The ultimate in interior lighting

The halogen interior light has many advantages over standard lights. It uses very little energy, yet gives off an extra bright, crisp, white light that is perfect for illuminating the large oven interiors, allowing a clear view of the contents without having to open the door during cooking.

Siemens quality and safety for guaranteed peace of mind.

Tried and tested

All built-in kitchen appliances are 100% tested during production for safety and function. Samples of standard production are selected daily for more intensive testing and models are always running 24 hour a day, 7 days a week, to simulate over 10 years' home usage. All electronic components, such as LEDs, buzzers and displays, are similarly tested to guarantee more than 10,000 hours of life, and door hinges are tested to open a minimum of 20,000 times; that's equivalent to 48 years use.

coolDoor

All ovens come with double, triple or quadruple glass doors to ensure that door surface temperature is kept as low as possible. Depending on the model, the temperature of the door can be as low as 30°C during cooking.

Automatic fan shut off

If the door is opened during cooking, the oven sensor will automatically cease the 3D hot air fan to prevent bursting out of extreme heat.

Cooling fan

The integral cooling fan is designed to keep the operating components cool and also helps lower the temperature on both the oven door and any adjacent furniture.

Automatic safety switch off

If your oven is in used and you have not made any changes to the setting, and after a specific period, the words "Automatic switch off" will appear in the clearText display and the oven will switch itself off. To cancel the switch off and re-set the oven, you simply press any button.



Residual heat indicator

To keep your food warm until serving to the table, the temperature of the oven will continue to display after it is switched off and be reduced in stages down to 60°C. Once all the indicator bars have disappeared, the residual temperature will be under 60°C.

Scan our QR code to discover more about the quality of Siemens products.

Have fun cooking in your kitchen

With the many clever, innovative functions, Siemens built-in appliances make cooking much simpler and more convenient and relaxing. Siemens ovens offer a wide choice of heating methods providing ideal cooking options for all types of food.



Conventional (top and bottom heating)

Ideal for single shelf cooking and gives you a more crispy and drier result. Good for meat and fruit pies. Rich fruit cakes will not be peaked in the centre when using this cooking method. The oven needs to be pre-heated on this setting.

Bottom heating

Ideal for casseroles, curries and any slow cooking. Good for bain-marie cooking of crème caramels.



hydroBaking

The moisture produced by the food during cooking will remain inside the oven, giving more moist results. This setting improves the texture and retains the qualities of cakes, breads and pastry items. The oven needs to be pre-heated on this setting.

3D hot air

Ideal for all types of foods, cooking on up to 3 levels at the same time. Great for baking and roasting, ideal for larger joints.

Hot air eco

The most popular cooking program from our ovens now becomes eco. With this program, special temperature control optimized for cooking on one level, hence saving 30% energy is now possible. This program is specially design for cooking a single dish using one shelf level only. Perfect for frozen or convenience foods, bread, cakes, gratins and meat.

Hot air grilling

This cooking system is ideally suited for poultry and duck up to 2.5kg / 5lb and for smaller cuts of meat. Also ideal for crisping the crackling on pork (use this for the last 30 minutes of the cooking time for the perfect crispy finish).

Radiant grill large area

The three stage variable grill gives you precision grill temperature control for a full width grill.

Radiant grill small area

Using only the centre of the grill is perfect for cooking smaller quantities.

Intensive heat

This type of heat uses the heating elements from the top of the oven with the addition of a more powerful bottom heating element. Ideal for cheesecakes, crispy cake bases and baking tins that have poor heat conduction.

Pizza setting (Intensive hot air)

A crisp underside to pizza bases, quiches and pastry cases can be achieved by activating the intensive hot air setting. Pre-heating is not necessary when using this setting for cooking from frozen.



Slow cook

For good quality meat and poultry trimmed of all fat. Meat is pan fried to seal in the juices and then transferred to an oven proof dish with a lid. This is then placed in the oven at a pre-defined, fixed low temperature without any additional liquid added. The oven will slowly cook the meat keeping it moist, juicy and tender, without overcooking.

Defrost

Gently defrost a delicate gateaux or large joint of meat or turkey. This setting circulates room temperature air around the food, whilst keeping the food away from pests.

Keep warm

Food can be kept warm in the oven on this setting until it's ready to be served.

Pre-heat (Plate warm)

As food stays warm for longer on pre-heated plates, you can warm up your plates and serving dishes with this function.

Sabbath setting*

The oven is automatically set to conventional heat at a temperature of 85°C. You can adjust the Sabbath setting duration for between 24 to 73 hours. Designed to keep pre-heated food warm for the period.

* Selected models only

Oven

	Built-in oven

Model	**HB78G1590S**	
Design	• High definition TFT clearText display • soft**Close** door • lightControl • Optional to insert three level telescopic rails with stop function • Quadruple glass cool touch door (30°C door temperature)	• Domed glass inner door • Integrated grill element • Integral cooling fan • 5 shelf levels • Enamel oven interior • Align with our Compact45 series
Key Features	• active**Clean**® • Meat probe • Active odour catalyser • Automatic temperature proposal • Cleaning function	• Memory function • Sabbath setting • Actual temperature display • Residual heat indicator • Rapid heat function
Programmes/ Additional Features	• 14 Cooking Methods - Conventional (top/bottom heating) - Bottom heating - hydroBaking - 3D hot air - Hot air eco - Hot air grilling - Radiant grill large area - Radiant grill small area - Intensive heat - Pizza setting (intensive hot air) - Slow cooking - Defrost - Keep warm - Pre-heat	• cookControl 68 (68 automatic programmes) • Digital electronic clock with on/off and alarm function • Electronic door lock • Childproof lock
Technical Information	• Capacity: 65L# • Heating temperature: 30°C - 300°C	• Total connected load: 3.65kW (20A single phase connection) • Energy class: A-30%
Appliance Dimensions (H x W x D)	595 x 595 x 548mm	
Cavity Dimensions (H x W x D)	329 x 482 x 420mm	
Supplied Accessories	• 1 combination grid • 1 universal pan • 2 enamel baking trays	• 1 tray holder (for activeClean® use) • 1 meat probe
Country of Origin	Germany	
Price	**HK$36,300**	
Complementary Accessory	3-level full extension telescopic rails with stop function (HZ338357), please refer to p.154 for the outlook	

Measured in accordance with EN 50304:2009







* 20mm for metal fascias

Measurements in mm

Oven

	Built-in oven

Model	HB36G1560S	
Design	• soft**Close** door • lightControl • Quadruple glass cool touch door (30°C door temperature) • Full glass inner door	• Drop down grill element • Integral cooling fan • 5 shelf levels • Enamel oven interior
Key Features	• eco**Clean**® at rear wall • Meat probe • Active odour catalyser • Automatic temperature proposal • Cleaning function	• Memory function • Sabbath setting • Actual temperature display • Residual heat indicator • Rapid heat function
Programmes/ Additional Features	• 11 Cooking Methods - Conventional (top/bottom heating) - Bottom heating - hydroBaking - 3D hot air - Hot air eco - Hot air grilling - Radiant grill large area - Radiant grill small area - Pizza setting (intensive hot air) - Defrost - Keep warm	• cookControl 40 (40 automatic programmes) • Digital electronic clock with on/off and alarm function • Childproof lock
Technical Information	• Capacity: 67L[#] • Heating temperature: 30°C - 300°C	• Total connected load: 3.65kW (20A single phase connection) • Energy class: A-30%
Appliance Dimensions (H x W x D)	595 x 595 x 548mm	
Cavity Dimensions (H x W x D)	329 x 482 x 420mm	
Supplied Accessories	• 1 combination grid • 1 universal pan	• 2 enamel baking trays • 1 meat probe
Optional Accessories	• 3-level full extension telescopic rails with stop function (HZ338357)	• eco**Clean**® set (HZ329028) • Odour and grease catalyzer (HZ329000)
Country of Origin	Germany	
Price	HK$25,800	

[#] Measured in accordance with EN 50304:2009







* 20mm for metal fascias

Measurements in mm

Oven

	Built-in oven

Model	**HB33G2550S**
Design	• soft**Close** door • Triple glass cool touch door (40°C door temperature) • Full glass inner door • Drop down grill element • Integral cooling fan • 5 shelf levels • Integrated two level telescopic rails • Enamel oven interior • Mechanical retractable rotary knobs
Key Features	• eco**Clean**® at rear wall • Meat probe • Rapid heat function
Programmes/ Additional Features	• 8 Cooking Methods - Conventional (top/bottom heating) - Bottom heating - 3D hot air - Hot air grilling - Radiant grill large area - Radiant grill small area - Pizza setting (intensive hot air) - Defrost • Digital electronic clock with on/off and alarm function • Childproof lock
Technical Information	• Capacity: 67L# • Heating temperature: 50°C - 270°C • Total connected load: 3.5kW (20A single phase connection) • Energy class: A-20%
Appliance Dimensions (H x W x D)	595 x 595 x 548mm
Cavity Dimensions (H x W x D)	329 x 482 x 420mm
Supplied Accessories	• 1 combination grid • 1 universal pan • 2 enamel baking trays • 1 meat probe
Optional Accessory	eco**Clean**® set (HZ329027)
Country of Origin	Germany
Price	**HK$19,800**

Measured in accordance with EN 50304:2009







* 20mm for metal fascias

Measurements in mm

Oven

	Built-in oven

*Available in Q4 2012

Model	**HB23AB521W**
Design	• Double glass cool touch door (50°C door temperature) • Full glass inner door • Integrated grill element • Integral cooling fan • 5 shelf levels • Enamel oven interior • Mechanical rotary knobs
Key Features	Rapid heat function
Programmes/ Additional Features	• 5 Cooking Methods - Conventional (top/bottom heating) - Bottom heating - 3D hot air - Hot air grilling - Radiant grill large area • Digital electronic clock with on/off and alarm function • Childproof lock
Technical Information	• Capacity: 67L# • Heating temperature: 270°C maximum • Total connected load: 2.85kW (15A) • Energy class: A-20%
Appliance Dimensions (H x W x D)	595 x 595 x 548mm
Cavity Dimensions (H x W x D)	329 x 482 x 420mm
Supplied Accessories	• 1 universal pan • 1 combination grid
Optional Accessories	3-level full extension telescopic rails with stop function (HZ338357)
Country of Origin	Greece
Price	**HK$10,800**

Measured in accordance with EN 50304:2009







Measurements in mm

SIEMENS
SIEMENS

Compact45 series

The competence of Siemens in the world of collection is best expressed through the perfect combination of different elements. The steam oven, microwave, coffee machine and now the exclusive compact dishwasher can be freely combined, joined or added to the column. Lines, distances and depth match perfectly giving a touch of harmony and balance to any kitchen. Not to mention the warming drawer, the most professional of all the accessories, which will become the envy of every visitor.

SIEMENS
SIEMENS
SIEMENS

Perfect outlook and co-ordination with absolute freedom of design

Compact45 series co-ordinates with each other harmoniously. The collective use of the stainless steel and black glass door make your appliances line-up looking equally either in a clean column or side-by-side. Featuring the same new TFT display and electronic control concept, the Compact45 series appliances co-ordinate perfectly with our 60cm ovens when installed in a column.

Perfect horizontal or vertical alignment

Purity and symmetry lines make Compact45 series ideal to enhance any kitchen. When installing horizontally, front panels and even the controls are perfectly aligned. The installation column puts further emphasis on the harmony of lines and perfect proportion of design for timeless elegance.

The compact steam oven that changes the way you cook

A busy lifestyle reduces our cooking time and leads to greater reliance on less healthy fast foods. The traditional favourite cooking method of steaming, together with simmering, is recognised by Chefs as extremely advantageous to you for the healthiest and most delicious results.

Siemens compact steam ovens can steam or combine steaming with hot air to bring out the true taste and nutrients of the food. By using a Siemens compact steam oven you can quickly prepare meals and savour authentic and natural flavours.

Using a steam oven is the ideal way to prepare meals. It is the best way of cooking food to exclude fat residue and retain all those important: flavour, succulence or crispness, vitamins and nutrients to provide a healthy and tasty meal.

Retaining the original taste and texture of food

The humidity sensor, built into the cavity of the oven, precisely monitors the steam arising from cooking. The analysis regulates the exact amount of steam required to be generated for best cooking performance and avoids wasted energy and water consumption.

Efficient and hygienic steaming

Siemens steam ovens are equipped with a removable water tank that holds up to 1.3 litres of water, enough for more than 3 hours steam cooking at full power. It is not necessary to arrange plumbing in from water inlet.

Water is fed into the oven cavity and heated by a powerful element at the base of the appliance. This ensures maximum efficiency as the appliance is only heating the amount of water needed for the cooking process. Moreover, no calcification will occur during the water flow from the tank to the cavity and thus assuring the steam is completely hygienic.

The ovens are thermostatically controlled to allow steam temperatures of 35-100°C – ideal for all types of fish, meat, poultry, vegetable and prove dough.

Stable temperature, more comfort

Using a traditional wok for Chinese cooking such as stews requires your constant attention, to continually lifting the lid to monitor progress. This causes steam to escape and a sudden drop in temperature which prolongs the cooking time and uses more energy. Siemens steam oven keeps watch for you, ensuring a constant temperature over the right time and sounding a warning when ready, so that you can relax and enjoy time with your family.

Reheating

Reheating leftovers or food for latecomers through steaming ensures the food is refreshed to its utmost, is desirably moist and retains its texture.

Great ability, but small in space

Our new wall-cabinet steamer oven and microwave oven are ideal for compact kitchen. They could both co-ordinate beautifully in a tall housing unit as well as in a wall cabinet along with other appliances, free up your valuable worktop space.

The wall-cabinet steam oven has 22L in capacity, 5 levels of steam power, 3 cooking levels and 20 automatic programmes, there is more than what you can imagine in such a diminutive size.

Being a pioneer meaning we are always one step ahead of expectation. At Siemens, we understand eating healthy is very important for our daily life and that is why we have introduced our first steam oven ten years ago. As we continue striving for technology enhancement thus we commit to bring you a revolutionary designs and features, together we set the trend. Based on the experience we gained from the past, Siemens steam oven is second to none in the market.

It is very often that appliances get tested in Europe and only the best will be awarded. Siemens steam ovens have always succeeded in winning the top awards. Not to forget we have received many good comments which include 'low energy consumption', 'good cooking result' and 'easy to use especially design of the water tank as no direct water connection is needed'.

Cleaning and de-scaling

Siemens steam ovens feature high quality stainless steel interiors and accessories for durable life span and easy cleaning. These steam ovens also offer a dedicated de-scaling programme and cleaning programme. When cleaning and de-scaling is required, it will automatically show the alert on the electronic display.

Steam cooking with hot air

Combining traditional hot air cooking with steam cooking offers the best preparation method for every dish and type of food. This brings moisture and tenderness to steam cooking as well as the well-risen and crustiness of traditional hot air. And it retains everything that is important about food: taste, aroma, texture, vitamins and nutrients.

Different dishes can be prepared simultaneously in the three slide-in shelves without transferring taste or odour.

Less cleaning, more time to enjoy

The grease filter which is dishwasher-safe can be fitted on the back of the cavity of our combination steam ovens. The cooking fat residue is filtered from the fan, hence the cavity is less soiled and easier to be cleaned.

Discover the benefits of Steam cooking
Scan our QR code to find out more.

Save a fraction of time with the combination oven with microwave

With the new, built-in combination oven with microwave, we have given the attractive design of our microwaves a place among the compact appliances. Plus, we have made room for your culinary art. Even large platters and bowls fit easily into its generous interior. The simple, clear arrangement of the control elements makes using our microwave particularly logical and intuitive. The design offers the best possible fit with the new range of compact appliances in the series. At a height of 45cm, it is perfectly suited for installation in a tall cupboard or in a side-by-side configuration.

Three stage programming

The model allows users to programme the appliance to run up to three consecutive power levels and cooking times.

Multi-function oven with microwave

Only 45cm high but of spacious 42-litre internal capacity, the combination oven with microwave HB86K575 has integrated three cooking functions – heating, grilling and microwave in one.

With 15 heating methods, cooking fine ventilated at 300°C and the ability to cook well on most levels, the model allows the creation of gourmet recipes. Enjoy thaw, heat, and cook with 5 levels of microwave cooking in the quickest way.

Automatic programmes: a secret chef in the kitchen

The combination oven with microwave features 70 automatic defrost, cooking and combination programmes for a perfect result every time – simply enter the food type and weight and let the appliance do the rest. The model also offers a memory function so you can store your favourite recipes.

Warming drawers are more than just drawers

The drawers are suitable for dinnerware warming and also food warming. They can take up to either 12 or 40 plates, can be used to safely and hygienically keep food hot for up to 1 hour and can also be used to prove dough, gently thaw delicate items and warm up breads and pancakes. Depending on what you want the drawer to do, the adjustable temperature range allows the temperature to be adjusted between 30°C and 80°C.

The fully extendable pull-out warming drawer allows easy access to the contents and can accommodate up to 25kg.

Striking elegance

Designed to co-ordinate with Siemens ovens and Compact45 series, the range consists of models with height of 29cm and 14cm. The 14cm warming drawer comes with a handle-free "press-and-pull" open door, which allows users to open and retract gently.

Elegance and practicality combined

Siemens built-in appliances are designed so that a warming drawer can be aligned below to appear integral to the unit. This is particularly useful when you have built-in side-by-side appliances of different height. The seamless fit of warming drawer provides a uniform appearance to both appliances and is pleasing on the eye. The additional warming drawer provides valuable storage space in a beautiful flowing style.

Making coffee at one touch

This sophisticated and fully automatic built-in coffee machine makes all kinds of hot drinks with flair. Integrated with an innovative milk jet which can perfectly fine-pour creamy milk foam from the same outlet, the coffee machine can prepare coffee, espresso, latte, cappuccino and all kinds of coffee-and-milk specialties with just a touch.

Perfect aroma

The aroma pressure system ensures that the coffee powder is pressed to perfection in the infusion chamber, regardless of the quantity introduced. Thanks to the arched shape of the press, the water takes the longest possible path through the ground coffee, allowing the aroma to release in all its fullness. The result? Cup after cup of excellent aroma, perfect creaminess and taste that you will remember with pleasure.

aroma pressure® system

A zip of espresso in a minute

With our sensoFlow System, Siemens coffee machine uses high-tech flow-through-heaters to heat the exact amount of water when needed. With minimal heat up time and minimum standby power, a cup of coffee can be brewed in the shortest time possible. Special sensors take multiple measurements of the water temperature, guaranteeing that the espresso is always brewed at precisely the right temperature.

senso flow® system

Technology and design in perfect harmony

The coffee machine is equipped with a height-adjustable coffee dispenser that can accommodate glasses up to 15cm tall. The milk jet can also be easily removed and cleaned in the dishwasher. The premium milk container is heat-insulated that keeps the milk cool and fresh for hours.

Steam oven

	Built-in combination steam oven with hot air

Model	HB38D575	
Design	• High definition TFT clearText display • lightControl • Triple glass door • Full glass inner door	• Integral cooling fan • 4 different shelf positions/ 3 shelf levels • Stainless steel interior
Features	• Integrated water reservoir that does not require direct water connection • Meat probe • Humidity sensor	• cookControl 70 (70 automatic programmes) • Memory function • Cleaning function
Programmes/ Additional Features	• 9 Cooking Methods - Steam - Hot air - Steam bake - Defrost - Reheat - Pre-heat - Prove - Slow cook - Keep warm	• Automatic temperature proposal • Digital electronic clock with on/off and alarm function • Childproof lock
Technical Information	• Capacity: 35L • Water tank capacity: 1.3L • Heating temperature: Steam 35°C - 100°C Hot air 30°C - 230°C Steam bake 60°C - 230°C	• Total connected load:1.9kW (13A)
Appliance Dimensions (H x W x D)	454 x 595 x 550mm	
Cavity Dimensions (H x W x D)	265 x 325 x 402mm	
Supplied Accessories	• 1 grease filter • 1 pluggable meat probe • 1 wire tack • 1 large cooking container (perforated, 40mm deep, GN2/3)	• 1 large cooking container (solid, 28mm deep, GN2/3) • 1 small cooking container (solid, 40mm deep, GN1/3) • 1 small cooking container (perforated, 40mm deep, GN1/3)
Optional Accessories	• Large cooking container (solid, 40mm deep, GN2/3) (HZ36D533) • Stainless steel tray (perforated, GN2/3) (HZ36D533G) • Roasting set (HZ36DB)	• Small porcelain container (solid GN1/3) (HZ36D513P) • Large porcelain container (solid GN2/3) (HZ36D533P)
Country of Origin	France	
Price	HK$36,800	







* 20mm for metal fascias



Measurements in mm

Steam oven

	Built-in combination steam oven with hot air

A Energy

−20 % Energy

Model	**HB34D553B**	
Design	• Triple glass door • Full glass inner door • Integral cooling fan	• 4 different shelf positions/ 3 shelf levels • Stainless steel interior
Features	• Integrated water reservoir that does not require direct water connection	• cookControl 40 (40 automatic programmes) • Cleaning function
Programmes/ Additional Features	• 4 Cooking Methods - Steam - Hot air - Steam bake - Reheat	• Automatic temperature proposal • Digital electronic clock with on/off and alarm function • Childproof lock
Technical Information	• Capacity: 35L • Water tank capacity: 1.3L • Heating temperature: Steam 35°C - 100°C Hot air 30°C - 230°C Steam bake 120°C - 230°C	• Total connected load:1.9kW (13A)
Appliance Dimensions (H x W x D)	454 x 595 x 550mm	
Cavity Dimensions (H x W x D)	265 x 325 x 402mm	
Supplied Accessories	• 1 wire tack • 1 large cooking container (perforated, 40mm deep, GN2/3) • 1 large cooking container (solid, 28mm deep, GN2/3)	• 1 small cooking container (solid, 40mm deep, GN1/3) • 1 small cooking container (perforated, 40mm deep, GN1/3)
Optional Accessories	• Dishwasher-safe metal grease filter (HZ36DF) • Large cooking container (solid, 40mm deep, GN2/3) (HZ36D533)	• Stainless steel tray (perforated, GN2/3) (HZ36D533G) • Roasting set (HZ36DB)
Country of Origin	France	
Price	**HK$31,800**	







Measurements in mm

Steam oven

	Built-in steam oven

Model	**HB26D555**	
Design	• High definition TFT clearText display • lightControl • Double glass door • Full glass inner door	• Integral cooling fan • 4 different shelf positions/ 3 shelf levels • Stainless steel interior
Features	• Integrated water reservoir that does not require direct water connection • cookControl 40 (40 automatic programmes)	• Memory function • Cleaning function
Programmes/ Additional Features	• 4 Cooking Methods - Steam - Defrost - Reheat - Prove	• Automatic temperature proposal • Digital electronic clock with on/off and alarm function • Childproof lock
Technical Information	• Capacity: 38L • Water tank capacity: 1.3L • Heating temperature: Steam 35°C - 100°C • Total connected load:1.9kW (13A)	
Appliance Dimensions (H x W x D)	454 x 595 x 550mm	
Cavity Dimensions (H x W x D)	265 x 325 x 439mm	
Supplied Accessories	• 1 wire tack • 1 large cooking container (perforated, 40mm deep, GN2/3)	• 1 large cooking container (solid, 40mm deep, GN2/3)
Optional Accessories	• Small cooking container (solid, 40mm deep, GN1/3) (HZ36D513) • Small cooking container (perforated, 40mm deep, GN1/3) (HZ36D513G) • Large cooking container (solid, 28mm deep, GN2/3) (HZ36D532) • Stainless steel tray (perforated, GN2/3) (HZ36D533G)	• Small porcelain container (solid GN1/3) (HZ36D513P) • Large porcelain container (solid GN2/3) (HZ36D533P) • Stainless steel tray (perforated, GN2/3) (HZ36D543G)
Country of Origin	France	
Price	**HK$25,800**	





* 20mm for metal fascias





Measurements in mm

Steam oven

Built-in wall-cabinet steam oven

Model	**HB25D5L2**
Design	• Can be installed in wall unit • Clear text display • Electronic retractable rotary knob • Electronic door opening button • Left-hinged • Interior light • Double glass door • Full glass inner door • Integral cooling fan • 3 different shelf positions • Stainless steel interior
Features	• Integrated water reservoir that does not require direct water connection • cookControl 20 (20 automatic programmes) • Desaling programme
Programmes/ Additional Features	• 1 Cooking Method - Steam • Digital electronic clock with time display
Technical Information	• Capacity: 22L • Water tank capacity: 0.9L • Heating temperature: steam 40°C - 100°C • Total connected load:1.25kW (13A)
Appliance Dimensions (H x W x D)	382 × 595 × 300mm
Cavity Dimensions (H x W x D)	239 × 311 × 288mm
Supplied Accessories	• 1 large cooking container (perforated, 40mm deep, GN1/2) • 1 large cooking container (solid, 40mm deep, GN1/2)
Optional Accessories	• Small cooking container (solid, 40mm deep, GN1/3) (HZ36D513) • Small cooking container (perforated, 40mm deep, GN1/3) (HZ36D513G)
Country of Origin	France
Price	**HK$22,800**

Steam oven
corner installation



Steam oven
Front panel overhang
Installation in a tall cupboard



Steam oven
Front panel overhang



Steam oven
in the tall cupboard



Measurements in mm

Combination oven with microwave

	Built-in combination oven with microwave

Model	**HB86K575**	
Design	• High definition TFT clearText display • lightControl • Enamel oven interior with eco**Clean**® liner at top and rear wall	• Quadruple glass cool touch door with 40°C door temperature
Features	• 3-stage programmes for microwave and oven combination • cookControl 70 (70 automatic programmes)	• Memory function • Rapid heat function
Programmes/ Additional Features	• 15 Cooking Methods - Conventional (top/bottom heating) - Bottom heat - Hot air - 3D hot air - Hot air grilling - Radiant grill large area - Radiant grill small area - Intensive heat - Slow cook - Pre-heat - Keep warm - Microwave function - Microwave and oven combination - Micro combi (gentle) - Micro combi (intensive)	• Digital electronic clock with on/off and alarm function • Childproof lock
Technical Information	• Capacity: 42L • Heating temperature: 300°C • Microwave output: 900W max.	• Total connected load:3.6kW (20A Single phase connection)
Appliance Dimensions (H x W x D)	454 x 595 x 531mm	
Cavity Dimensions (H x W x D)	226 x 424 x 366mm	
Supplied Accessories	• 1 combination grid	• 1 universal pan
Optional Accessories	Baking tray (HZ86B000)	
Country of Origin	Germany	
Price	**HK$29,800**	





* 20mm for metal fascias





Measurements in mm

Microwave oven with grill

	Built-in microwave oven with grill

Model	**HF25G5L2**
Design	• Flat ceramic bottom increases usable area by up to 55% • Integral cooling system • Interior light • Left-hinged • Can be installed in wall unit
Features	• Electronic retractable rotary knob • Electronic door opening button • Electronic LCD clock with time display
Programmes/ Additional Features	• 3 Cooking Methods - Microwave - Grill - Microwave and grill combination • 7 automatic cooking programmes • 3 automatic defrost programmes • 3-stage programmes for microwave function • Memory function • 99 minutes maximum time setting
Technical Information	• Capacity: 21L • Grill output: 1.3kW • Microwave output: 900W max. • Total connected load:1.99kW (13A)
Appliance Dimensions (H x W x D)	382 x 595 x 320mm
Cavity Dimensions (H x W x D)	220 x 350 x 270mm
Supplied Accessories	• 1 glass pan • 1 grid
Country of Origin	United Kingdom
Price	**HK$10,800**

Microwave
corner installation



Microwave
in a wall-hanging
cupboard



Microwave
Front panel overhang
Build into a tall cupboard



Microwave
Front panel overhang



Microwave
in a tall cupboard



Measurements in mm

Coffee machine

	Built-in coffee machine

Model	**TK76K573GB**
Design	• lightControl • Graphic LCD display • Separate milk container • Separate container for pre-ground coffee • Height adjustable coffee dispenser: 15cm max. • Removable drip tray
Features	• Fastest first cup in 30 seconds • sensoFlow system for perfect flavour extraction • Aroma pressure system for perfect aroma extraction • One touch function for all kinds of coffee-and-milk specialties - coffee - white coffee - espresso - cappuccino - latte macchiato etc. • Single portion cleaning for excellent hygiene • Cream centre for perfect foam creation • 19 bar thermo block pump pressure system • Hot water function • 3 levels brewing temperature • 4 levels water temperature • Programmable start time and automatic switch off function for energy saving mode • Automatic rinsing programme when switching on/off • Automatic de-scaling and cleaning programme
Technical Information	• Water tank capacity: 2.5L • Coffee bean container capacity: 1,000g • Total connected load: 1.7kW (13A) • Milk container capacity: 0.7L
Appliance Dimensions (H x W x D)	454 × 595 × 535mm
Supplied Accessories	• Measuring spoon for pre-ground coffee type • Cleaning tablets • Descaling tablets • Water filter
Complimentary Gift	Espresso set (ZG00054)
Country of Origin	Slovenia
Price	**HK$36,800**





Measurements in mm

Warming drawer

	Built-in warming drawer

Model	**HW290562B**
Design	• Heating plate made of toughened glass • Fully extendable pull out telescopic rails
Features	• Proving yeast dough • Thawing food • Keeping food warm • Pre-warming utensils • Electronic temperature control • Operating indicator light
Technical Information	• Capacity: 52L • Loading: 25kg max. • Maximum loading: 40 plates or 120 espresso cups • Heating temperature: 30 - 80°C • Connected load: 0.81kW (13A)
Appliance Dimensions (H x W x D)	290 × 595 × 544mm
Cavity Dimensions (H x W x D)	245 × 465 × 457mm
Country of Origin	Slovakia
Price	**HK$11,800**

* above a warmer drawer HW 290... an installation of an oven with a height of 595mm is possible without a supporting layer in-between.



* above a warmer drawer HW290... an installation of Compact45 series with a height of 454mm is possible without a supporting layer in-between.



Oven with a height of 595mm can be installed above a warming drawer in the HW 290 range. An intermediate floor is not required.

Measurements in mm

Warming drawer

	Built-in warming drawer
Model	**HW1405P2B**
Design	• Heating plate made of toughened glass • Fully extendable pull out telescopic rails • Handle-free "Press-and-Pull" open door
Features	• Proving yeast dough • Thawing food • Keeping food warm • Pre-warming utensils • Electronic temperature control • Operating indicator light
Technical Information	• Capacity: 20L • Loading: 25kg max. • Maximum loading: 12 plates or 80 espresso cups • Heating temperature: 30 - 80°C • Connected load: 0.81kW (13A)
Appliance Dimensions (H x W x D)	141 × 595 × 544mm
Cavity Dimensions (H x W x D)	95 × 465 × 457mm
Country of Origin	Slovakia
Price	**HK$9,800**



Compact appliances with a height of 454mm can be installed above a warming drawer in the HW 140 range. An intermediate floor is not required.

Measurements in mm

SIEMENS

Hob

Siemens hobs are designed to impress. The stylish and catchy appearance ties a knot with its user-friendly and outstanding functionality, making it a definite benefit in your kitchen.

Welcome to the future: flexInduction

The Siemens flexInduction hob EH675MN11E can behave as a traditional four-zone induction hob, but choose to link the zones together to form a single rectangular cook surface (400 x 200mm), and the real magic begins. The new extended cooking surface can accommodate pans of any size, and even several pans placed anywhere on the surface at the same time. And of course flexInduction has all the advantages of induction cooking, including boost settings, pan recognition and a power output of up to 3.6kW.



Liberate your pans from restrictive cook zones with flexInduction

The hob uses four innovative elongated oval inductors beneath the glass, each of which can act independently to sense the presence of cookware on the hob. Only if the cookware is detected will the individual inductors work, ensuring efficient operation whether a 10cm diameter milk pan is placed in one corner, or a large griddle plate covers the whole zone.

Effective automatic pan recognition

Like our traditional induction hobs, the Siemens flexInduction hob features automatic pan recognition technology. The flexInduction zone will react to a pan placed anywhere on the extended cook surface – right up to the edges.

More reliable small object detection

As each of the unique inductors work independently, the hob is extremely good at recognising what is – and what isn't – a pan. The area of the cook surface under, say, a discarded spoon will not be activated, even while the pans on the surface continue to be heated normally.

Better energy efficiency

Only areas of the flexInduction cook surface that are actually in contact with the cookware are active at any particular time, so no energy is wasted.

Better heat distribution

The innovative elongated shape of the inductors means that larger pans enjoy more evenly distributed heat, and there are no "cool spots" where the pan is not over an induction coil, which means your dish will be beautifully and evenly cooked.

Discover the benefits of flexInduction hob
Scan our QR code to find out more.

Discover the simplicity of flexInduction hob
Scan our QR code to find out more.

super
Boost
SIEMENS

Induction hobs — the most efficient cooking method

Induction is 40% faster than gas as a cooking method, and safer too as the cooking zone switches off automatically if there is no pan on the hob. What's more, heat is only generated through the area that is actually touching the pan – which also makes it up to 25% more energy efficient than gas.

Cleaning is easy for induction hobs. Spillages are less likely to burn on and there is no need to wait for the glass to cool down in order to give the hob a good clean. You simply wipe over with a cloth.



The largest induction zone in town

Siemens induction hob EH675MD11E consists of an induction zone of 32cm diameter, which is the largest in the market. The super booster function boosts power output to as high as 4.6kW, making Chinese wok-style stir fry possible.

Variety of cooking zones available

Extendable cooking zones allow the cooking area to be extended or reduced to accommodate large items (like a fish kettle and larger saucepans) or smaller pans (like an asparagus pan).

Innovative touchSlider control

Unique to Siemens, glide your finger gently over the control panel to select the appropriate power level. This sophisticated pressure technology never fails to deliver even your hands are too hot, too cold or when caked with ingredients.

touchControl

17 stages of power setting

Siemens induction hobs feature a large variety of 17-stage power levels, offering a complete control over your cooking from a low simmer to a rapid boil.

Cooking timer

Most of Siemens hobs are equipped with a timer used in dual ways. It can be set as an alarm which will sound at the end of the cooking time, or it can also be set to automatically switch off the heat of the cooking zone at a designated time.



Residual heat indicators

Induction hobs feature a two-stage residual heat indicator for each cooking zone – an LED sign shows "H" when the zones are above 95°C, and "h" when above 65°C. This function is perfect for food warming and it also serves as a reminder of the warm ceramic surface.

Booster function

The booster function uplifts the power output of the selected zone by approximately 50% by 'borrowing' power from its partner cooking zone. Time is also saved as temperature is raised quickly.

Ceramic glass hob base material in perfect quality

Its 4mm super slim contour and the sleek wipe-clean surface have undoubtedly enhanced any kitchen. The black ceramic glass surface is also tough against stains.

Automatic pan recognition

Thanks to the automatic pan recognition, the hob will only operate if it "recognises" the pan is in place to ensure safety.

Safety lock

Simply press the main on/off sensor for a few seconds to lock the controls to prevent inadvertent operation. Easily re-activated by repeating the process.

Control panel pause

With the touch of a button, the control panel can be locked for a short period when it needs to be wiped clean without altering any settings. A signal will sound after approximately 35 seconds indicating that the protection function has ceased.

Domino hobs — a mosaic design and elegance



Siemens domino hobs enable you to design your own cooking centre using a combination of gas, induction, wok-burner, teppan yaki or BBQ grill. These units can be built in separately, combined together or linked to full size ceramic and gas ceramic hobs of the same styling for the ultimate cooking centre. You choose where they fall into place.

Teppan Yaki to complete the domino range

Teppan Yaki, a new element in the domino range with 40cm width, allows you to experience one of the most healthy and tasty cooking. It is perfect to amaze guests with delicate grilled fish, meat, vegetables and even delicious crepes.

Inner flame

Specially designed for the wok burners, the centre flame in the inner ring can be altered according to every different need. This allows total flexibility and ensures your cooking is always under control.

Strong pan supports

The cast iron pan supports provide a strong contemporary look and a stable base for any size of pan.

Discover the benefits of individual control of inner and outer flame

Scan our QR code to find out more.

Domino gas hob

	Domino town gas wok burner

Model	**ER326AB91X**
Design	Enable you to design your own cooking centre using various kinds of hobs
Features	• Dual circuit wok burner • Individual control of inner and outer flame • One hand ignition • Electrical spark ignition
Technical Information	• Preset Town gas • Burner output 5.0kW • Total connected load 0.8W (13A)
Appliance Dimensions (H x W x D)	45 (exclude glass thickness, include gas connector) x 302 x 520mm
Cut out Dimensions (W x D)	270 x 490-500mm
Min. Thickness of Worktop	30mm
Supplied Accessory	Cast iron wok ring support
Optional Accessory	Connection set (HZ394301)
Country of Origin	Austria
Price	**HK$ 11,300**



* Minimum distance from the hob cut-out to the wall

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Domino gas hob

	Domino town gas double burner



Model	**ER326BB90X**
Design	Enable you to design your own cooking centre using various kinds of hobs
Features	• 2 single circuit burners • One hand ignition • Electrical spark ignition
Technical Information	• Preset Town gas • Burner output • Total connected load 0.6W (13A)
Appliance Dimensions (H x W x D)	62 (exclude glass thickness, include gas connector) x 302 x 520mm
Cut out Dimensions (W x D)	270 x 490 - 500mm
Min. Thickness of Worktop	30mm
Supplied Accessory	Cast iron pan support with rubber feet
Optional Accessory	Connection set (HZ394301)
Country of Origin	Spain
Price	**HK$10,800**

Burner	Output (kW)
Front – standard burner	1.9
Rear – rapid speed burner	2.8
Total	4.7



* Minimum distance from the hob cut-out to the wall
** Position of the gas connector in the cut-out

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Domino gas hob

	Domino LPG wok burner

Model	**ER326AB90L**
Design	Enable you to design your own cooking centre using various kinds of hobs
Features	• Dual circuit wok burner • Individual control of inner and outer flame • One hand ignition • Electrical spark ignition
Technical Information	• Preset LPG • Burner output 6.0kW • Total connected load 0.6W (13A)
Appliance Dimensions (H x W x D)	62 (exclude glass thickness, include gas connector) x 302 x 520mm
Cut out Dimensions (W x D)	270 x 490-500mm
Min. Thickness of Worktop	30mm
Supplied Accessory	Cast iron wok ring support
Optional Accessory	Connection set (HZ394301)
Country of Origin	Spain
Price	**HK$11,300**



* Minimum distance from the hob cut-out to the wall
** Position of the gas connector in the cut-out

HOB

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Domino gas hob

	Domino LPG double burner



Model	**ER326BB90L**
Design	Enable you to design your own cooking centre using various kinds of hobs
Features	• 2 single circuit burners • One hand ignition • Electrical spark ignition
Technical Information	• Preset LPG • Burner output • Total connected load 0.6W (13A)
Appliance Dimensions (H x W x D)	62 (exclude glass thickness, include gas connector) x 302 x 520mm
Cut out Dimensions (W x D)	270 x 490 - 500mm
Min. Thickness of Worktop	30mm
Supplied Accessory	Cast iron pan support with rubber feet
Optional Accessory	Connection set (HZ394301)
Country of Origin	Spain
Price	**HK$10,800**

Burner	Output (kW)
Front – standard burner	1.9
Rear – rapid speed burner	2.8
Total	4.7



* Minimum distance from the hob cut-out to the wall
** Position of the gas connector in the cut-out

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Domino electric hob

	Domino 2-zone induction hob



Model	**EH375ME11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED cooking timer and display
Features	• 17 stages of power setting • Booster function for both zones • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h" when zones are above 65°C • 2 induction cooking zones • Automatic safety switch off - Pan recognition - Time limit • Safety time switch off
Technical Information	• Cooking zone output Zone / Output (kW) / Output with booster (kW) / Diameter (mm) Front / 2.2 / 3.3 / 210 Rear / 1.4 / 1.8 / 145 • Total connected load 3.6kW (20A single phase connection)
Appliance Dimensions (H x W x D)	53 (exclude glass thickness) x 302 x 520mm
Cut out Dimensions (W x D)	270 x 490-500mm
Min. Thickness of Worktop	30mm
Min. Ventilation Space	• 20mm from back of the cabinet to the wall • 45mm / 30mm from the worktop to the top of drawer or oven respectively
Optional Accessory	Connection set (HZ394301)
Country of Origin	Spain
Price	**HK$15,800**



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth

Induction hob over a drawer



① Ventilation gap must be present



Please reserve buffer due to possible uneven cut-out rim.

Induction hob over an oven



① Ventilation gap must be present

Measurements in mm

Domino electric hob

	Domino 2-zone radiant hob

Model	**ET375MF11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED cooking timer and display
Features	• 17 stages of power setting • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h" when zones are above 65°C • 2 cooking zones • 1 dual circuit cooking zone at front • Safety time switch off
Technical Information	• Cooking zone output Zone / Output (kW) / Diameter (mm) Front: 0.8 / 2.0 : 120 / 180 Rear: 1.2 : 145 • Total connected load 3.2kW (20A single phase connection)
Appliance Dimensions (H x W x D)	38 (exclude glass thickness) x 302 x 520mm
Cut out Dimensions (W x D)	270 x 490-500mm
Min. Thickness of Worktop	30mm
Optional Accessory	Connection set (HZ394301)
Country of Origin	Spain
Price	**HK$11,800**



Assembly kit (HZ394301) for Domino



Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions










520
A
L
B
c
d
min. 60-50
490-500+2
X
min. 50
min. 600
If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.).
Cutout dimension (X) depending on the combination see table:

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Domino electric hob

	Domino BBQ griller

Model	**ET375MU11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED display and count down timer • Stainless steel grilling trough
Features	• 9 stages of power setting • Can be used as water bath with water drainage • 2-stage digital residual heat indicator - LED "H" when zones are above 95°C - LED "h" when zones are above 65°C • Safety time switch off • Removable cast iron grill for easy cleaning
Technical Information	Total connected load 2.4kW (13A)
Appliance Dimensions (H x W x D)	106 (exclude glass thickness) × 302 × 520mm
Cut out Dimensions (W x D)	270 x 490-500mm
Built-in Depth	180mm (236mm inclusive of drain valve)
Min. Thickness of Worktop	30mm
Supplied Accessories	• Lava stone • Glass cover
Optional Accessory	Connection set (HZ394301)
Country of Origin	France
Price	**HK$14,800**



* Minimum distance from the hob cut-out to the wall

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Domino hob

	Domino deep fryer

Model	**ET375MA11E**
Design	• Oil drainage outlet • touchSlider control • LED display and count down timer
Features	• 10 temperature settings between 100-190°C • Basin capacity: min. 3L - max. 4L • Indicator light • Residual heat indicator • Safety time switch off
Technical Information	• Heating output 2.5kW • Total connected load 2.5kW (13A)
Appliance Dimensions (H x W x D)	227 (exclude glass thickness) × 302 × 520mm
Cut out Dimensions (W x D)	270 × 490-500mm
Built-in Depth	227mm (367mm inclusive of drain valve)
Min. Thickness of Worktop	30mm
Supplied Accessories	• Stainless steel frying basket • Glass cover
Optional Accessory	Connection set (HZ394301)
Country of Origin	France
Price	**HK$16,800**



* Minimum distance from the hob cut-out to the wall

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Domino hob

	Domino Teppan Yaki

Model	**ET475MY11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • Big stainless steel roast area • touchSlider control • LED display and count down timer
Features	• 9 temperature settings between 160 - 240°C • Special level for keeping warm (70°C) and cleaning (40°C) • Frying area can be heated completely or halfway • Power on indicator light • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h"when zones are above 65°C • Safety time switch off
Technical Information	• Heating output Zone: Front Centre — Output (kW): 0.95 Zone: Rear Centre — Output (kW): 0.95 • Total connected load 1.9kW (13A)
Appliance Dimensions (H x W x D)	83 (exclude glass thickness) × 392 × 520mm
Cut out Dimensions (W x D)	360 × 490-500mm
Min. Thickness of Worktop	30mm
Supplied Accessories	• Glass cover • 2 spatulas
Optional Accessory	Connection set (HZ394301)
Country of Origin	France
Price	**HK$29,800**



* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Gas hob

	5-burner town gas hob

Model	**EC945RB90X**
Design	Enable you to design your own cooking centre using various kinds of hobs
Feature	• One hand ignition • Individual control of inner and outer flame of wok burner • Electrical spark ignition • 1 dual circuit wok burner • 1 high-speed burner • 2 standard burners • 1 economy burner
Technical Information	• Preset Town gas • Burner output • Total connected load 0.6W (13A)

Burner	Output (kW)
Front left – high-speed burner	3.0
Front right – standard burner	1.7
Centre – dual circuit wok burner	4.5
Rear left – economy burner	1.0
Rear right – standard burner	1.7
Total	11.9

Appliance Dimensions (H x W x D)	59 (exclude glass thickness, include gas connector) x 915 x 520mm
Cut out Dimensions (W x D)	850 × 490mm
Min. Thickness of Worktop	30mm
Supplied Accessories	• Cast iron pan support • Wok ring support
Optional Accessory	Connection set (HZ394301)
Country of Origin	Spain
Price	**HK$10,800**



*Minimum distance from the hob cut-out to the wall
**Position of the gas connector in the cut-out

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Induction hob

	2 circuit zones with 1 flexInduction hob



Model	**EH875MN11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED cooking timer and display
Features	• 17 stages of power setting • Booster function for all induction zone • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h" when zones are above 65°C • Can be used as 4 traditional cooking zones • 1 flexInduction cooking zone on left • 2 circuit zones at middle and right • Automatic safety switch off - Pan recognition - Time limit • Childproof lock • Panel pause
Technical Information	• Cooking zone output
Appliance Dimensions (H x W x D)	51 (exclude glass thickness) x 812 x 520mm
Cut out Dimensions (W x D)	750-780 x 490-500mm
Min. Thickness of Worktop	30mm
Optional Accessory	Connection set (HZ394301)
Country of Origin	Germany
Price	**HK$31,800**
Complimentary Cookware	Stainless steel roaster (HZ390010), please refer to P.156 for the outlook

Zone	Output (kW)	Output with booster (kW)	Diameter (mm)
Left	3.3	3.6	400 x 200
Middle	2.4	3.6	280
Right	1.4	1.8	145

• Total connected load 7.2kW (40A – single phase) /
Two pieces of 2-phase connection each at 20A



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth
*** Min. 30 with a fitted oven underneath

Induction hob over a drawer



① Ventilation gap must be present



Induction hob over an oven



① Ventilation gap must be present

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Induction hob

	2 flexInduction hob



reddot design award winner 2012

Model	**EH675MV11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED cooking timer and display
Features	• 17 stages of power setting • Booster function for all induction zones • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h" when zones are above 65°C • Can be used as 4 traditional cooking zones • 2 flexInduction cooking zones • Automatic safety switch off - Pan recognition - Time limit • Childproof lock • Panel pause
Technical Information	• Cooking zone output Zone / Output (kW) / Output with booster (kW) / Diameter (mm) Left / 3.3 / 3.6 / 400 x 200 Right / 3.3 / 3.6 / 400 x 200 • Total connected load 7.2kW (40A – single phase) / Two pieces of 2-phase connection each at 20A
Appliance Dimensions (H x W x D)	51 (exclude glass thickness) x 602 x 520mm
Cut out Dimensions (W x D)	560 x 490-500mm
Min. Thickness of Worktop	30mm
Optional Accessory	Connection set (HZ394301)
Country of Origin	Germany
Price	**HK$28,800**



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth
*** Min. 30 with a fitted oven underneath

Induction hob over a drawer



① Ventilation gap must be present



Induction hob over an oven



① Ventilation gap must be present

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Induction hob

	1 dual circuit zone with 1 flexInduction hob



Model	**EH675MR11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED cooking timer and display
Features	• 17 stages of power setting • Booster function for all induction zones • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h"when zones are above 65°C • Can be used as 3 traditional cooking zones • 1 dual circuit cooking zone on left • 1 flexInduction cooking zone on right • Automatic safety switch off - Pan recognition - Time limit • Childproof lock • Panel pause
Technical Information	• Cooking zone output • Total connected load 7.2kW (40A – single phase) / Two pieces of 2-phase connection each at 20A
Appliance Dimensions (H x W x D)	51 (exclude glass thickness) x 602 x 520mm
Cut out Dimensions (W x D)	560 x 490-500mm
Min. Thickness of Worktop	30mm
Optional Accessory	Connection set (HZ394301)
Country of Origin	Germany
Price	**HK$23,800**

Zone	Output (kW)	Output with booster (kW)	Diameter (mm)
Left	1.8 / 2.8	2.5 / 3.6	180 / 280
Right	3.3	3.6	400 x 200



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth
*** Min. 30 with a fitted oven underneath

Induction hob over a drawer



① Ventilation gap must be present



Please reserve buffer due to possible uneven cut-out rim.

Induction hob over an oven



① Ventilation gap must be present

Measurements in mm

Induction hob

	3-zone induction hob

Model	**EH675MD11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED cooking timer and display
Features	• 17 stages of power setting • Booster function for all induction zones • Super booster for triple zone • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h" when zones are above 65°C • 3 induction cooking zones • 1 triple circuit cooking zone on left • Automatic safety switch off - Pan recognition - Time limit • Childproof lock • Panel pause
Technical Information	• Cooking zone output

Zone	Output (kW)	Output with booster (kW)	Diameter (mm)
Front right	1.8	2.5	180
Rear left	2.2 / 2.6 / 3.3	3.3 / 3.4 / 3.6 4.6 (Super booster)	210 / 260 / 320
Rear right	1.4	1.8	145

• Total connected load	6.8kW (40A - single phase) / Two pieces of 2-phase connection each at 20A
Appliance Dimensions (H x W x D)	51 (exclude glass thickness) x 602 x 520mm
Cut out Dimensions (W x D)	560 x 490 - 500mm
Min. Thickness of Worktop	30mm
Optional Accessory	Connection set (HZ394301)
Country of Origin	Germany
Price	**HK$19,800**



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth
*** Min. 30 with a fitted oven underneath

Induction hob over a drawer



① Ventilation gap must be present



Induction hob over an oven



① Ventilation gap must be present

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

Radiant electric hob

	4-zone radiant hob



Model	**ET675MG11E**
Design	• Enable you to design your own cooking centre using various kinds of hobs • touchSlider control • LED cooking timer and display
Features	• 17 stages of power setting • Electronic boil start control • 2-stage digital residual heat indicator for each zone - LED "H" when zones are above 95°C - LED "h" when zones are above 65°C • 4 cooking zones • 2 dual circuit cooking zones • Safety time switch off • Childproof lock • Panel pause
Technical Information	• Cooking zone output Zone / Output (kW) / Diameter (mm) Front left: 1.2: 145 Front right: 0.75 / 2.2: 120 / 210 Rear left: 0.8 / 2.0: 120 / 180 Rear right: 1.2: 145 • Total connected load 6.6kW (40A - single phase) / Two pieces of 2-phase connection each at 20A
Appliance Dimensions (H x W x D)	45 (exclude glass thickness) x 602 x 520mm
Cut out Dimensions (W x D)	560 x 490-500mm
Min. Thickness of Worktop	30mm
Optional Accessory	Connection set (HZ394301)
Country of Origin	Germany
Price	**HK$16,300**



*Minimum distance from the hob cut-out to the wall
**Maximum installed depth

Please reserve buffer due to possible uneven cut-out rim.

Measurements in mm

SIEMENS

Hood

Siemens hoods stand out from similar products in the market with their sleek style, high efficiency and quiet operation. Together with a variety of ingenious and user-friendly functions, they can be installed with just the way you like.

Contemporary, stunning look and streamlined living ceiling hood

Siemens new line cooker hood makes a discreet entry to your kitchen as it can fit flush-in with your ceiling or integrated into a specially designed suspended or even in a boxed ceiling. With our new range of ceiling hood, valuable spaces in your kitchen can be free up for other purpose, creating a beautiful and tidy look. Operating by a radio remote control, you can turn it on and off anywhere in the kitchen. Equipped with halogen lights, it integrated nicely with the kitchen lighting, creating a conformation and spacious environment.

The telescopic hood brings more freedom when you cook

The stylish telescopic hood allows more space in the kitchen for a perfect fitting and also provides maximum flexibility when cooking. The canopy can also be extendable from 29cm to 45cm when the front cooking zone is in use. This ensures the filter area can be significantly increased to cater for the entire cooking zone.

Siemens hoods have made very high air flow speed possible on the 4 boarders, together with the fact that the grease vapour is filtered directly via a direct air passage, maximum extraction rate can be achieved. In addition, selected hoods using rim ventilation are equipped with a stainless steel plate integrated with a metal filter. This modern design makes cleaning easier as the metal filter can be placed into the dishwasher directly. As other, simply open the metal plate cover and wipe while the seperate grease filter can be placed into the dishwasher for cleaning.

Unique rim ventilation to achieve maximum extraction rate

Siemens High Performance Rim Ventilation



- grease absorption rate below 70%
- up to 30% loss regarding extraction rate due to indirect and bended air inlet

- vapor exhaust from all four boarder areas
- high air flow speed due to small suction area leads to very high capture rate
- grease absorption rate above 90%
- no loss regarding extraction rate due to direct air inlet

All our hoods come fully fitted with a number of features and benefits

Intensive setting with automatic reset facility

The intensive setting gives an extra boost to the extraction level and is particularly useful when supplementary extraction is needed, for example stir frying. Usually intensive setting is only required for a short period of time, hence the hood will automatically revert to a lower speed setting after a few minutes.

Dimmer light function

Thanks to the dimmer light function, now your kitchen can enjoy atmospheric lighting with different levels of brightness from the hood. When the light is switched on, it lights up from dim to bright at a gradual manner. With the same concept, the light gradually fades away when turned off.

Saturation indicator

The extraction performance will deteriorate when the hood filters are saturated with grease. To ensure the hood extraction always works in a safe manner and at its optimal efficiency, the hood will give automatic advice on when the filters require cleaning.

10 minutes run on program

The automatic run on facility keeps the hood working for an additional 10 minutes and then stops automatically. This is useful to help removing any lingering odours in the kitchen after cooking.

Dishwasher-safe metal grease filters

All the metal grease filters on our hoods can be cleaned in dishwashers.

An illuminating experience

Siemens hoods offer excellent illumination of the hob space underneath. Most of Siemens hoods use 20W halogen bulbs, which emit a bright white light and are extremely energy efficient. Each bulb uses 35% less energy than a standard 40W cooker hood bulb, and they need replacing much less often too. Our new island chimney hood features bright, long-lasting and super energy efficient LED lights, using even less energy than a single low-voltage halogen light. These LEDs are currently amongst the brightest on the market.

Ultrasound sensor

The ultrasound sensor, integrated in the cooker hood, helps detect the density of kitchen fumes arising and automatically adjusts the extractor power accordingly. This precise use of the extractor minimises noise levels and also saves electricity as the cooker hood never uses more energy than is required at the time.

Choosing a hood: Exhaust air mode or recirculation operation mode?

Not all household can accommodate the extractor hoods with exterior ventilation due to limitation of interior setting. Hoods in recirculation mode could therefore be a solution. Most Siemens hoods can be operated in both exhaust air mode and recirculation mode and allow full flexibility to install the hood for optimum performance. In recirculation mode, the extracted air passes through the metal filter to remove grease, and then through a carbon filter to remove odours before being directed back into the kitchen. Recirculated extraction rate is slightly lower in comparison to exhausted extraction and the odour filter will need to be replaced on a regular basis. Yet re-circulating the air offers an energy efficiency benefit, in that cool air is retained in the home in the summer and warm air is not vented out during winter months.

*Please check individual product specifications for details of suitable accessories.

Intake air temperature: 20°C
Exhaust air: 20°C

-> Intake and exhaust air - With the same temperature

cleanAir Recirculation filteration

The largest slatted surface of the special active carbon filter in the cleanAir module guarantees 95% odour reduction. That is every bit as good as the ducted system and up to 25% better than a conventional recirculation system. The surface of this special active carbon filter is equivalent to around 50 football pitches.

Intake / outdoor temperature:
Winter e.g. -5°C / Summer e.g. 30°C
Exhaust air: 20°C

-> Loss of warm and cold air

Charcoal Re-circulating filteration

The charcoal re-circulating filter eliminates unpleasant odours and is easy to install and replace.

Island chimney hood

	120cm island chimney hood
Model	**LF21BB550**
Design	• Dimmer light function • Electronic low lift push button control with LED display • LED lighting • Operation from two sides
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Intensive setting with automatic reset facility • Ultrasound sensor with automatic select speed level • Saturation indicator for metal filter • Rim ventilation
Technical Information	• Extraction capacity 1,100m³/h maximum • Total connected load 0.375kW (13A) • Tube connection diameter 120 or 150mm
Appliance Dimensions (Exhaust operation) (H x W x D)	744-924 x 1,200 x 650mm
Appliance Dimensions (Re-circulate air operation) (H x W x D)	792-1,044 x 1,200 x 650mm
Supplied Accessory	4 dishwasher-safe rim ventilation filters
Optional Accessories	• Chimney extension 1,100mm (LZ12285) • Chimney extension 1,600mm (LZ12385) • Adapter for roof inclination left / right (LZ12310) • Adapter for roof inclination front / back (LZ12410) • Extension for mounting kit 500mm (LZ12510) • Extension for mounting kit 1000mm (LZ12530) • cleanAir Recirculation kit (LZ56600)
Country of Origin	Germany
Price	**HK$37,800**









Installation with
cleanAir Recirculation kit

HOOD

Measurements in mm

Island chimney hood

	90cm island chimney hood

Model	**LF91BB550**
Design	• Dimmer light function • Electronic low lift push button control with LED display • LED lighting • Operation from two sides
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Intensive setting with automatic reset facility • Ultrasound sensor with automatic select speed level • Saturation indicator for metal filter • Rim ventilation
Technical Information	• Extraction capacity 1,100m³/h maximum • Total connected load 0.375kW (13A) • Tube connection diameter 120 or 150mm
Appliance Dimensions (Exhaust operation) (H x W x D)	744-924 x 900 x 600mm
Appliance Dimensions (Re-circulate air operation) (H x W x D)	792-1,044 x 900 x 600mm
Supplied Accessory	3 dishwasher-safe rim ventilation filters
Optional Accessories	• Chimney extension 1,100mm (LZ12285) • Chimney extension 1,600mm (LZ12385) • Adapter for roof inclination left / right (LZ12310) • Adapter for roof inclination front / back (LZ12410) • Extension for mounting kit 500mm (LZ12510) • Extension for mounting kit 1000mm (LZ12530) • cleanAir Recirculation kit (LZ56600)
Country of Origin	Germany
Price	**HK$27,300**









Installation with
cleanAir Recirculation kit

Measurements in mm

Ceiling mounted hood

	120cm ceiling mounted hood

Model	**LF259RB50**
Design	• Electronic low lift push button control with LED display • Radio remote control • Halogen light
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Intensive setting with automatic reset facility • 10 minutes run-on program • Saturation indicator for metal filter • Rim ventilation
Technical Information	• Extraction capacity 840m³/h maximum • Total connected load 0.355kW (13A) • Tube connection diameter 150mm
Appliance Dimensions (H x W x D)	299 x 1,200 x 450mm
Cut out Dimensions (Exhaust operation) (H x W x D)	299 x 1,170 x 426mm
Supplied Accessory	4 dishwasher-safe brushed steal filters
Optional Accessory	cleanAir Recirculation kit (LZ56700)
Country of Origin	Italy
Price	**HK$32,800**



* from upper edge of pan support



cleanAir Recirculation kit



Installation with cleanAir Recirculation kits



* The pipe connecting the hood and the recirculation kit is not included.

Measurements in mm

Ceiling mounted hood

	90cm ceiling mounted hood

Model	**LF959RB50**
Design	• Electronic low lift push button control with LED display • Radio remote control • Halogen light
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Intensive setting with automatic reset facility • 10 minutes run-on program • Saturation indicator for metal filter • Rim ventilation
Technical Information	• Extraction capacity 800m³/h maximum • Total connected load 0.355kW (13A) • Tube connection diameter 150mm
Appliance Dimensions (H x W x D)	299 x 900 x 500mm
Cut out Dimensions (Exhaust operation) (H x W x D)	299 x 870 x 476mm
Supplied Accessory	3 dishwasher-safe brushed steal filters
Optional Accessory	cleanAir Recirculation kit (LZ56700)
Country of Origin	Italy
Price	**HK$23,800**





cleanAir Recirculation kit



Installation with cleanAir Recirculation kits



* The pipe connecting the hood and the recirculation kit is not included.

Measurements in mm

Wall mounted chimney hood

	120cm wall mounted chimney hood

Model	**LC257BB40**
Design	• Electronic low lift push button control with LED display • Halogen light
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Intensive setting with automatic reset facility • Saturation indicator for metal filter
Technical Information	• Extraction capacity 830m³/h maximum • Total connected load 0.33kW (13A) • Tube connection diameter 120 or 150mm
Appliance Dimensions (Exhaust operation) (H x W x D)	653-982 x 1,200 x 500mm
Appliance Dimensions (Re-circulate air operation) (H x W x D)	653-1,097 x 1,200 x 500mm
Supplied Accessory	4 dishwasher-safe brushed steal filters
Optional Accessories	• Charcoal Re-circulating kit (LZ52350) • cleanAir Recirculation kit (LZ56100) • Chimney extension 1000mm (LZ12260) • Chimney extension 1500mm (LZ12360)
Country of Origin	Germany
Price	**HK$23,800**













HOOD

Measurements in mm

Wall mounted chimney hood

	90cm wall mounted chimney hood

Model	**LC91BA560**
Design	• Dimmer light function • Electronic low lift push button control with LED display • Halogen light
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Intensive setting with automatic reset facility • 10 minutes run-on program • Saturation indicator for metal filter
Technical Information	• Extraction capacity 1,100m³/h maximum • Total connected load 0.415kW (13A) • Tube connection diameter 120 or 150mm
Appliance Dimensions (Exhaust operation) (H x W x D)	628-954 x 900 x 500mm
Appliance Dimensions (Re-circulate air operation) (H x W x D)	628-1,064 x 900 x 500mm
Supplied Accessory	3 dishwasher-safe brushed steal filters
Optional Accessories	• Charcoal Re-circulating kit (LZ53450) • cleanAir Recirculation kit (LZ56300) • Chimney extension 1000mm (LZ12265) • Chimney extension 1500mm (LZ12365)
Country of Origin	Germany
Price	**HK$18,800**



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with vent at bottom for exhaust air



* from upper edge of pan support



* from upper edge of pan support





Installation with cleanAir Recirculation kit

Measurements in mm

Wall mounted chimney hood

	90cm wall mounted chimney hood

Model	**LC98BB540**
Design	• Electronic low lift push button control with LED display • Halogen light
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Intensive setting with automatic reset facility
Technical Information	• Extraction capacity 900m³/h maximum • Total connected load 0.32kW (13A) • Tube connection diameter 120 or 150mm
Appliance Dimensions (Exhaust operation) (H x W x D)	642-954 x 900 x 500mm
Appliance Dimensions (Re-circulate air operation) (H x W x D)	642-1,064 x 900 x 500mm
Supplied Accessory	3 dishwasher-safe brushed steal filters
Optional Accessories	• Charcoal Re-circulating kit (LZ53450) • cleanAir Recirculation kit (LZ56300) • Chimney extension 1000mm (LZ12265) • Chimney extension 1500mm (LZ12365)
Country of Origin	Germany
Price	**HK$11,800**



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with vent at bottom for exhaust air



* from upper edge of pan support



* from upper edge of pan support





Installation with cleanAir Recirculation kit

HOOD

Measurements in mm

Telescopic hood

	90cm telescopic hood

Model	**LI46930**
Design	• Electronic control with LED display • Slide switch permanent control • Halogen light • Standard delivery without handle strip
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Saturation indicator for metal filter
Technical Information	• Extraction capacity 720m³/h maximum • Total connected load 0.26kW (13A) • Tube connection diameter 120 or 150mm
Appliance Dimensions (H x W x D)	475 x 897 x 273 (excl. handle strip)mm
Supplied Accessory	4 dishwasher-safe brushed steel filters
Optional Accessories	• Charcoal Re-circulating kit (LZ45500) • Handle strip with brand logo (LZ49050) • Installation set for 90cm wall unit include 2 mounting brackets template (LZ49100)
Country of Origin	Germany
Price	**HK$9,300**







Telescopic hoods in 90cm wall-hanging cupboard



Fitting kit is required when fitting the 90cm telescopic hood in the 90cm wide wall-hanging cupboard

Measurements in mm

Telescopic hood

	60cm telescopic hood

Model	**LI46630**
Design	• Electronic control with LED display • Slide switch permanent control • Halogen light • Standard delivery without handle strip
Features	• Exhaust and re-circulate air operation • 3 speed levels • 1 intensive setting • Saturation indicator for metal filter
Technical Information	• Extraction capacity 720m³/h maximum • Total connected load 0.24kW (13A) • Tube connection diameter 120 or 150mm
Appliance Dimensions (H x W x D)	465 x 597 x 273 (excl. handle strip)mm
Supplied Accessory	2 dishwasher-safe brushed steel filters
Optional Accessories	• Charcoal Re-circulating kit (LZ45500) • Handle strip with brand logo (LZ46050)
Country of Origin	Germany
Price	**HK$8,300**







Measurements in mm

Refrigerator

Clever design, first-class quality and environmentally friendly operation. That's the backbone of our approach to everything we create, from innovative built-in models to the stunning side-by-side refrigerator.

Outstanding energy efficiency even better than first class

With coolConcept and twinCool, A+ energy consumption is standard

Refrigerators are always on 24 hours a day, 365 days a year. They account for up to 25% of the electricity consumed by an average household. Thus, it is worth to choose a refrigerator that offers the best energy efficiency.

All Siemens built-in cooling appliances are rated at least A+ for European energy efficiency, which is up to 25% more energy efficient than its equivalent A-rated appliance. Our energy-saving A++ coolConcept refrigerators, twinCool fridge and freezer save an incredibe 40% energy compared to an A-rated appliance.

98% of all components in a Siemens cooling appliance are recyclable.

Environmental pledge

All Siemens refrigerators are environmentally pledged. Built in RoHS compliance, Siemens refrigerators always reduce the release of hazardous substance to the environment. Thanks to the most environmentally friendly refrigerant R600a, there won't be any toxicant emissions that harm the ozone layer. Always aiming at consuming the lowest possible energy, the whole Siemens built-in cooling range is certified with the Hong Kong grade 1 energy label.

To help you spot the real energy-saving champions, the most efficient Siemens cooling appliances that are rated A++ for energy efficiency carry the eco+ logo.

A++ is 40% more efficient than A for cooling appliances



Energy saving

Energy consumption of refrigeration appliances per 100 litres in 24 hours



Source: BSH Bosch and Siemens Hausgeräte GmbH

Imagine your dream Now you are just one step away

Siemens coolConcept refrigerator series comes with a combination of intelligence, environmental care and design. From the innovative cooling technology to the customised fresh-food zones; from the energy efficient base-assembly compressor to the highest EU energy attainments of A++; from the gorgeous LED interior lighting to the spacious bigBox; the coolConcept series is the perfect melding of better performance and greater energy efficiency.

A++ Energy

Technology and lifestyle are meant to go into perfect harmony. Proudly acknowledged by reputable institution, models KI39FP60 is recognised by red dot design and iF product design award.

Ultimately energy efficient: coolConcept refrigerators rated A++ performance

The whole coolConcept range has attained first class of Hong Kong energy label and EU A++ rating for energy efficiency, saving 40% more energy for the environment compared to an A rating refrigerator. Thanks to the latest high efficiency compressor technology, advanced electronics and optimal insulation, energy consumption are reduced over the long term.

Absolute innovation brings more volume: Base assembly compressor technology

Siemens new compressor technology and the ventilation system have been integrated directly into the base of the appliance. This significantly enlarges the usable volume of the bottom compartment, with bigBox size increased to almost a double (27cm high and 30L volume). Now, pizzas, turkey or large food packages could be stored in the bigBox without problem.



Scan our QR code to discover more about the benefits of base assembly compressor technology and installation tips.



Seamlessly beautiful: High board solution

Since the ventilation system is now integrated at the base of the refrigerator, the ventilation grid on top of high board is now vanished so that it all looks clean and beautiful right from the top.

noFrost technology

At Siemens, we have designed and built a series of refrigerators to suit different households. Models KI39FP60 and KI28NP60 are equipped with noFrost technology – in which an air circulation system conducts humidity out of the interior space into an external evaporation tray. As a result, the air stays dry and prevents frost from forming on stored food.

noFrost

Food stays fresh up to 3 times longer with vitaFresh

Different foods have their own perfect room: vitaFresh

Available in selected models, vitaFresh is the expert of premium food preservation for various kinds. The temperature in the vitaFresh compartments of about 0°C can keep food fresh for three times longer. Moreover, there are two vitaFresh zones with different humidity levels to best preserve nutrients and vitamins within different types of food.

The "dry" vitaFresh zone:
The ideal place to keep fish and meat much fresher at up to 50% humidity.

The "dew point" vitaFresh zone:
Fruit and vegetables can be kept fresh much longer at up to 90% humidity.

vitaFresh

For the planet: no food is to be wasted

Food is well-preserved for a longer period with vitaFresh. For instance, carrots now stay fresh up to 5 months. Storing food in separate vitaFresh drawers minimises unpleasant odour transfer between foods. The bottom of the drawers has a curved design and food is never lying flat on the surface, thus remains fresh and crispy as cool air is able to run underneath.

Extra deluxe: the new vitaFresh feature

The new vitaFresh also comes with other extra touches to guarantee a deluxe experience. The airFresh filter is integrated for odour-neutralising effect which lasts for the entire life of the refrigerator. Furthermore, all drawers are equipped with telescopic rail for full access and smooth handling. Last but not least, LED lights are highlighted at the top and the rear panel for a good overview of food storage and as well illustrate a stylish design.



Fresh three times longer: the benefits of vitaFresh.

Food	Vitamins	Stays fresh for x days/Days	Refrigerator vitaFresh
Apples	A,B_1, B_2, C, E, Biotin 60 180	60	180
Butter	A, D, E, K	40	90
Emmentaler cheese (45% Fat)	A, B_2, B_{12}, D	7	30
Trout (2.7% Fat)	A, B_2, B_{12}, D, E	1	3
Chicken	B_1, B_2, B_6, Niacin	3	5
Carrots	A, B_1, B_2, C, D, E	14	150
Kiwi	A, C, K	14	50
Garlic	B_1, B_2, B_6, ajoene	90	180
Cabbage	A, B_1, B_2, B_6, C, folic acid, K	20	90
Salmon	A, B_2, B_6, B_{12}, D, E, H	1	3
Leeks	B_1, B_2, B_6, C, E, folic acid	12	60
Parmesan cheese (35% Fat)	A, B_2, B_{12}, D	30	60
Peaches	B_1, B_2, B_6, E, K	7	30
Beef (filet)	B_6, B_{12}, Niacin	2	7
Cream (30% Fat)	A, D, E	5	20
Pepperoni (cold cuts)	B_1, B_2, B_6, E	4	8
Ham (pork, cooked)	B_1, B_2, B_6, B_{12}, D, Niacin	7	12
Cottage cheese (35% Fat)	B_2, K	12	30
Grapes	C, E, folic acid	14	40

Vitamins and what they do for you.

A	Rhodopsin production; moistening of mucosa; development of bones and healthy skin; fighting off of bacterial, viral, and parasitic infections
B_1	Transmission of some nerve signals between brain and spinal cord
B_2	Growth of skin, hair, and nails
B_3	Nerve formation; Maintenance of digestive system
B_5	Defends against infection by forming antibodies; Building of anti-stress hormones
B_6	Formation and repair of muscle tissue, healthy skin and the nervous system
B_{12}	Growth; formation of red blood cells
C	Building and maintenance of collagen; fights infection and helps wounds heal
D	Builds strong bones
E	Protection for cell walls; keeps skin, muscles, nerves, and cardiovascular system healthy
Folic acid	Natural B vitamin, fetal spinal cord development
K	Blood clotting; builds bones and teeth
Niacin	Controls energy production and energy availability; Ensures good function of nervous system and GI tract
Pantothenic acid	Supports detoxification of the body; boosts immune function; grows hair

For every kind of food, we have just the right home

Adjust at your finger tip: easyLift door bins

The door bins can be easily adjusted up and down to accommodate different height of bottles and even when fully loaded. Now the door bins are completely utilised without any waste of space.

Showcase of all your food: full extension drawer

All drawers in the fridge section can be easily pulled out to the fullest giving a better overview of the refrigerated food. This is ideal that nothing can fall out even getting the wanted from the far back when fully loaded.

Perfect light for a perfect view: the LED refrigerator compartment light

The new coolConcept refrigerators are perfectly illuminated with life-long LED lighting in the interior space. Lightings are integrated flush with the side walls and aimed slantwise towards the rear. This ensures the light source will neither have direct contact with your eyes, nor be blocked by objects stored in the compartment.

Quick move with just one hand: easyLift glass shelf

By simply using the adjusting lever, the easyLift glass shelf can be adjusted up and down by a maximum of 6cm single-handedly and even when the shelf is in full load, without the annoyance of having to clear out the shelf and move things around.

Smart and easy temperature control

All coolConcept models are equipped with touchControl temperature-setting system, giving an easy control of temperature and it's modern, convenient and easy to clean. Super freezing and super cooling functions are also available on touchControl to freeze or cool down your food faster at anytime you wish. Separate control panels are available for fridge and freezer.



airFresh filter

Strong smelling foods can be stored without worry. An efficient integrated carbon filtering net, with special honeycomb surface, absorbs all pungent smell and secures the flavour of each item.

airFresh filter

Easy access: the new freezer compartment

The freezer compartment is redesigned with its door ergonomically optimised to make it easier to grab hold of and more comfortable to open and close.

Deep and roomy: the bottle shelf

The bottle shelf is 115mm deep, giving plenty of room to accommodate bottles of different sizes and diameters.

Anywhere you wish: dividerBox

The 80mm high dividerBox can be easily removed or placed anywhere in the refrigerator to give you more flexibility for organising the compartment space to suit your needs.

Always securely closed: the softClosing door

The new softPull system makes sure the door closes properly. In addition, a door closer is integrated into all flat hinges. Even heavily loaded, doors are closed easily and securely throughout the life of the refrigerator.

Standards of no ordinary

Super function

Adding warm or large amount of stuff to a refrigerator can lead to an increase in the internal and food temperatures. By switching on the super cool or super freeze function before you go shopping ensures fast and safe storage of food added to the fridge or freezer without affecting the temperature of the food already in the refrigerator.

Humidity control vegetable drawer

The humidity control panel is found on most of our cooling appliances. This clever piece of facility allows you to alter the humidity of the vegetable drawer to optimise the appearance and preservation of the food.

Flush folding hinge

Most models in the range feature a flush folding hinge door design that enables quick and easy fitment of the furniture door without the need for extra drilling. This hinge design holds a door weight of up to 45kg, gives an increased door opening angle of 115°, and features automatic door closing at an angle of less than 20°.

Combination of ingenious and elegant storage solutions : twinCool single fridge and freezer

hydroFresh vegetable drawer

The hydroFresh vegetable drawer keeps vegetables, salad and fruit fresh for twice as long*. By manually controlling the internal humidity, the hydroFresh compartment keeps food from drying out, thus preserving precious vitamins, keeping it crisp, flavoursome and more nutritious for longer.

*Compared with a standard frost free fridge compartment

easyLift door tray

The easyLift tray can be raised up to 21cm that leaves plenty of room for any bottle size. It's infinitely adjustable even when fully loaded, saving you the tedious job of emptying and reloading it.

varioShelf

This extendable glass shelf can be slided out smoothly, so that you can reach the food at the back of the fridge.

Flexibly adapts to space requirements: the flexShelf

The flexShelf is made up of two interconnected shelves, the top shelf is made of safety glass and the lower shelf is attached to it by metal supports. This lower shelf has a handle for pulling it down when needed, this gives you an extra compartment for bottles or a cake plate. Or you can just easily move it back up against the top shelf to create a single large space, ideal for items like big salad bowls.

Ice twister box

With just a pull of the ice twister handle, you can take out the ice cubes from the storage tray in a simple, easy and hygiene way.

Two extra-large bigBox for large food item in freezer

The bigBox is 27cm high and thus provides enough room for several pizzas, store a turkey or put large freezer containers in the roomy bigBox with ease.

iceTwister

bigBox

coolDuo side-by-side refrigerator, synergy of efficiency and capacity

Our side-by-side refrigerator is frost free and environment-friendly guaranteed. With ample space, it offers the highest net storage capacity among similar models in the market with the same exterior size according to the EU capacity standard. It has also attained an A+ EU energy grading because Siemens truly cares for the environment just as you do.

Dual Cooling System

The fridge and freezer are powered by separate evaporators and cooling circuits, together with independent temperature control to make sure that no transference of odour and humidity occurs between the fridge and freezer compartments.

freshSense

The inverter compressor works with 3 thermal sensors inside the fridge and freezer to form the freshSense system. The sensors detect the temperature inside the compartment, taking into account the external temperature fluctuation, and automatically adjust the temperature to its best state to keep food fresh.

freshSense

The automatic ice water dispenser

It can be preset to one of three different modes: ice cubes, crushed ice or cold water. At a gentle touch of the blue-light button, you can enjoy whichever you most desire. Besides, the LED lighting around the arc of dispenser provides extra illumination with a beautiful and appealing effect.

Siemens is the first to offer free water filter replacement service

A one-time free water filter replacement service is available within the first year of purchase. No extra charge will be applied for filter cartridge and installation.

Side-by-side refrigerator equipped with an ice water dispenser comes with a water filter replacement indicator. When the "filter change" alert is lighted up on the display panel, simply call Siemens Customer Service Hotline to make an appointment for water filter replacement service.

Discover the benefits of Dual Cooling System
Scan our QR code to find out more.

Unique freshProtectbox

The Siemens freshProtect box is made unique. Its clever design of control found on the door saves you from opening of the door to adjust the temperature. You can choose to preserve your food via 3 temperature settings of 0°C, best for meat and fish; 2°C for milk products or 4°C for fruits and vegetables.

Ultimate in quality and convenience

The easyLift glass shelves can be adjusted up and down single-handedly to accommodate various food load and container sizes.

multiAirflow

The multiAirflow ensures even distribution of cold air throughout the refrigerator with the help of multi-level air vents sited on the rear panels. Improved air circulation chills food faster wherever placed. Even when fully-loaded, every corner of the compartment retains a continuous air flow to preserve freshness.

Scan our QR code to discover more about the coolDuo side-by-side refrigerator.

Refrigerator – coolConcept

	Built-in 2-door refrigerator, bottom freezer

Model	KI39FP60	
Features	• EU Energy Efficiency Class: A++ • HK Energy Label: Grade 1 • No frost • 3 cooling circuits • LED display and touch control of fridge & freezer sections	• Flush folding hinge • Soft closing door • Door right hinged, reversible • Telescopic rail drawers
Fridge Section	• Super cool function with automatic deactivation • 2 height adjustable safety glass shelves, including 1 with easyLift • 2 drawers	• 1 divider box • Large door tray with dairy compartment • 2 door bins, including 1 extra deep & 1 with easyLift • LED interior light on both sides
vitaFresh Compartment	• Upper drawer for fish & meat, lower drawer for fruit & vegetables	• airFresh filter • LED interior light
Freezer Section	• Super freeze function with automatic deactivation	• 2 drawers, including 1 bigBox • Freezing calendar
Technical Information	• Total net capacity: 251L • Net fridge capacity: 189L • Net freezer capacity: 62L • Noise level: 40dB	• Annual energy consumption: 227kWh • Freezing capacity (24hrs): 12kg • Storage time in power failure: 16hrs • Total connected load: 0.12kW (13A)
Supplied Accessories	• 2 egg trays • 1 ice cube tray	• 2 cool packs
Appliance Dimensions (H x W x D)	1,772* x 556 x 545mm	* exclude the height of the base compressor: 110mm
Country of Origin	Germany	
Price	HK$27,800	







Measurements in mm

Refrigerator – coolConcept

	Built-in 1-door refrigerator, top freezer

Model	KI40FP60	
Features	• EU Energy Efficiency Class: A++ • HK Energy Label: Grade 1 • 2 cooling circuits • LED display and touch control of fridge & freezer sections	• Flush folding hinge • Soft closing door • Door right hinged, reversible • Telescopic rail drawers
Fridge Section	• Automatic defrost • Super cool function with automatic deactivation • 2 height adjustable safety glass shelves, including 1 with easyLift • 3 drawers	• 1 divider box • Large door tray with dairy compartment • 4 door bins, including 1 extra deep & 3 with easyLift • LED interior light on both sides
vitaFresh Compartment	• 2 upper drawers for fish & meat, the lowest drawer for fruit & vegetables	• airFresh filter • LED interior light
Freezer Section	• Super freeze function with automatic deactivation	• Manual defrost • 1 glass shelf
Technical Information	• Total net capacity: 289L • Net fridge capacity: 261L • Net freezer capacity: 28L • Noise level: 40dB	• Annual energy consumption: 211kWh • Freezing capacity (24hrs): 2kg • Storage time in power failure: 14hrs • Total connected load: 0.12kW (13A)
Supplied Accessories	• 2 egg trays	• 1 ice cube tray
Appliance Dimensions (H x W x D)	1,772* x 556 x 545mm	*exclude the height of the base compressor: 110mm
Country of Origin	Germany	
Price	HK$24,800	






B=Overlap of front panel
1,772 +A+B
1,772
There shall be no drawer under the built-in appliance
A=Lower edge of front panel
min. 100
max. 90
Ventilation area in the base min. 200cm²

Measurements in mm

Refrigerator – coolConcept

	Built-in 2-door refrigerator, bottom freezer

Model	KI28NP60	
Features	• EU Energy Efficiency Class: A++ • HK Energy Label: Grade 1 • No frost • 2 cooling circuits • LED display and touch control of fridge & freezer sections	• Flush folding hinge • Soft closing door • Door right hinged, reversible • Telescopic rail drawers
Fridge Section	• Super cool function with automatic deactivation • 2 height adjustable safety glass shelves, including 1 with easyLift • 3 drawers	• 1 divider box • Large door tray with dairy compartment • 3 door bins, including 1 extra deep & 2 with easyLift • LED interior light on both sides
Freezer Section	• Super freeze function with automatic deactivation	• 2 drawers, including 1 bigBox • Freezing calendar
Technical Information	• Total net capacity: 230L • Net fridge capacity: 168L • Net freezer capacity: 62L • Noise level: 40dB	• Annual energy consumption: 200kWh • Freezing capacity (24hrs): 15kg • Storage time in power failure: 16hrs • Total connected load: 0.12kW (13A)
Supplied Accessories	• 2 egg trays • 1 ice cube tray	• 2 cool packs
Appliance Dimensions (H x W x D)	1,578* x 556 x 545mm	*exclude the height of the base compressor: 110mm
Country of Origin	Germany	
Price	HK$24,800	







Measurements in mm

Refrigerator

	Built-in 2-door refrigerator, bottom freezer

Grade 1 HK energy label

A+ Energy

Model	KI38SA50IE	
Features	• EU Energy Efficiency Class: A+ • HK Energy Label: Grade 1 • LED electronic digital temperature control & display of fridge & freezer sections	• Flush folding hinge • Door right hinged, reversible
Fridge Section	• Automatic defrost • Interior ventilator • Krypton top light • 5 safety glass shelves of which 4 are height adjustable	• Multi-functional box • 1 vegetable container with wavy bottom and humidity control • Large door tray with dairy compartment
Freezer Section	• Super freeze function with automatic deactivation • Manual defrost • Audible and visual alarm including memory function	• 3 transparent freezer drawers • Freezer calendar
Technical Information	• Total net capacity: 284L • Fridge net capacity: 221L • Freezer net capacity: 63L • Noise level: 38dB	• Annual energy consumption: 310kWh • Freezing capacity (24hrs): 12kg • Storage time in power failure: 22hrs • Total connected load: 0.12kW (13A)
Supplied Accessories	• 2 egg trays	• 1 ice cube tray with box
Appliance Dimensions (H x W x D)	1,772 x 541 x 545mm	
Country of Origin	Germany	
Price	HK$19,800	







The specified unit door dimensions are valid for a door gap of 4mm. If a different gap width is used (max. 14mm), the dimensions must be adjusted.

REFRIGERATOR

Measurements in mm

Refrigerator

	Built-in refrigerator	Built-in fridge
Model	**KU15LA65**	**KU15RA65**
Features	• EU Energy Efficiency Class: A++ • HK Energy Label: Grade 1 • Interior temperature control • Flush folding hinge • Soft closing door • Door right hinged, reversible • Integrated freezer compartment	• EU Energy Efficiency Class: A++ • HK Energy Label: Grade 1 • Interior temperature control • Flush folding hinge • Soft closing door • Door right hinged, reversible
Fridge Section	• 2 safety glass shelves of which 1 is height adjustable • 1 vegetable container • Pull-out tray • 3 door trays including 1 extra deep	• 3 safety glass shelves of which 2 are height adjustable • 1 vegetable container • Pull out tray • 3 door trays including 1 extra deep
Freezer Section	Manual defrost	
Technical Information	• Total net capacity: 125L • Net fridge capacity: 110L • Net freezer capacity: 15L • Noise level: 38dB • Annual energy consumption: 140kWh • Freezing capacity (24 hrs): 2kg • Storage time in power failure: 12 hrs • Total connected load: 0.09kW (13A)	• Net capacity: 141L • Noise level: 38dB • Annual energy consumption: 92kWh • Total connected load: 0.09kW (13A)
Supplied Accessories	• 1 egg tray • 1 ice cube tray	1 egg tray
Appliance Dimensions (H x W x D)	818-868 x 598 x 548mm	818-868 x 598 x 548mm
Country of Origin	Germany	Germany
Price	**HK$14,300**	**HK$13,300**





Space for electrical connection next to the appliance on the left or right-hand side. Ventilation in the base.

* Variable base/ substructure height

Measurements in mm

Refrigerator

	Built-in freezer

Grade 1 HK energy label

A+ Energy

Model	**GU15DA55**
Features	• EU Energy Efficiency Class: A+ • HK Energy Label: Grade 1 • Interior temperature control • Soft closing door • Door right hinged, reversible
Freezer Section	• Super freeze function • Manual defrost • 3 drawers • Freezing calendar • Audible and visual alarm
Technical Information	• Total net capacity: 98L • Noise level: 38dB • Annual energy consumption: 193kWh • Freezing capacity (24 hrs): 12kg • Storage time in power failure: 24 hrs • Total connected load: 0.09kW (13A)
Supplied Accessories	• 2 cool packs • 1 ice cube tray
Appliance Dimensions (H x W x D)	818-868 x 598 x 548mm
Country of Origin	Germany
Price	**HK$14,300**





Space for electrical connection next to the appliance on the left or right-hand side. Ventilation in the base.

* Variable base/ substructure height

Measurements in mm

Refrigerator – twinCool

	Freestanding fridge

KS36VAI31 GS36NAI31

Always place the fridge KS36VAI31 on the left side for a side-by-side arrangement.

Model	KS36VAI31
Features	• EU Energy Efficiency Class: A++ • HK Energy Label: Grade 1 • antiFingerprint stainless steel door • LED electronic digital temperature control • Super cool function with automatic deactivation • Interior ventilator • airFresh filter • hydroFresh box • Vegetable drawer on telescopic rail • LED illumination light • 6 safety glass shelves of which 5 are height adjustable, including flexShelf and varioShelf • 5 door bins including 1 with easyLift and 1 dairy compartment • Door left hinged, reversible
Technical Information	• Net capacity: 346L • Noise level: 39dB • Annual energy consumption: 112kWh • Total connected load: 0.09kW (13A)
Supplied Accessory	1 egg tray
Optional Accessory	Connection set (KS36ZAL00)
Appliance Dimensions (H x W x D)	1,860 x 600 x 600 (650*)mm * include door handle
Country of Origin	Spain
Price	HK$21,300





* Socket on the side

Recommended ventilation space





Measurements in mm

Refrigerator – twinCool

Freestanding freezer

KS36VAI31 GS36NAI31

Always place the fridge KS36VAI31 on the left side for a side-by-side arrangement.

Model	GS36NAI31
Features	• EU Energy Efficiency Class: A++ • HK Energy Label: Grade 1 • antiFingerprint stainless steel door • No frost • LED electronic digital temperature control • Super freeze function with automatic deactivation • multiAirflow • Multi-Alarm-System with memory function and door open warning tone • LED illumination light • Ice twister box • Vario Zone: 6 removable safety glass shelves for extra space • 2 freezer compartments with flap door • 5 freezer drawers, including 2 bigBox • Freezing calendar • Door right hinged, reversible
Technical Information	• Net capacity: 237L • Noise level: 42dB • Annual energy consumption: 234kWh • Freezing capacity (24hrs): 20kg • Storage time in power failure: 25hrs • Total connected load: 0.09kW (13A)
Supplied Accessories	• 3 cool packs • 1 ice cube tray
Optional Accessory	Connection set (KS36ZAL00)
Appliance Dimensions (H x W x D)	1,860 x 600 x 600 (650*)mm * include door handle
Country of Origin	Spain
Price	HK$25,300



* Socket on the side



Recommended ventilation space





Measurements in mm

Refrigerator – coolDuo

	Side-by-side refrigerator

Model	**KA62DP92GB**	
Features	• EU Energy Efficiency Class: A+ • HK Energy Label: Grade 1 • antiFingerprint stainless steel door and casing • No frost • Dual cooling system – no transfer of odours • Flushed in ice-water dispenser (IWD) with LED lighting and child lock • High storage net capacity – 533L	• Water filter for the ice-water dispenser • In door electronic with LED display and touchControl • freshSense – sensor system for optimised temperature control • 3 energy saving modes: eco, vacation and sabbatical mode • Timer
Fridge Section	• Super cool function with automatic deactivation • LED interior light • 2 fully extendable drawers • multiAirflow system • Bottle rack • Can holder	• 4 safety glass shelves including 2 with easyLift • Deli drawer • Vegetable drawer with humidity control • freshProtect box – 3 levels of temperature setting • airFresh filter
Freezer Section	• Super freeze function with automatic deactivation • LED interior light • 3 safety glass shelves of which 2 are height adjustable	• 3 tiltable door trays • bigBox
Technical Information	• Total net capacity: 533L • Fridge net capacity: 355L • Freezer net capacity: 178L • Noise level: 44dB	• Annual energy consumption: 467kWh • Freezing capacity (24hrs): 12kg • Storage time in power failure: 16hrs • Total connected load: 0.3kW (13A)
Supplied Accessories	• Fridge: 1 egg tray	• Freezer: 2 cool packs
Appliance Dimensions (H x W x D)	1,756 x 910 x 700 (766*)mm	* Include door handle
Country of Origin	China	
Price	**HK$30,800**	





x_1 (unit depth)	a	b
600	24	24
650	24	100
700	24	175
x_2 (wall)	90	464



Cooler drawers can be pulled out completely at a door opening angle of 160°

Measurements in mm

Wine Cooler

Why not preserve your vintage wines with the Siemens wine cooler? It holds up to 32 bottles at the preferred temperature and gives you the cellar you've always wanted. The tinted frameless glass door with matching stainless steel handle gives your kitchen a sophisticated look.

Wine cooler

	Built-in wine cooler

Model	**KF18WA41IE**
Features	• EU Energy Efficiency Class: A • touchLight – interior light activated by touch sensitive handle • Electronically regulated LED control panel • Super cool function with automatic deactivation • UV protected tinted glass door with stainless steel handle • 4 shelves with contoured bottle racks for vibration free storage • One flat glass shelf for small bottles or party food • Left-hinged door only
Technical Information	• Net capacity: 149L • Storage: -32 bottles (0.75L) -28 bottles (1L) • Adjustable temperature from 6°C - 14°C • Average humidity: 70% • Noise level: 37dB • Annual energy consumption: 146kWh • Total connected load: 0.09kW (13A)
Appliance Dimensions (H x W x D)	874 x 538 x 542 (592*)mm * Include door handle
Frame Dimensions (H x W x D)	881 x 588 x 32mm
Country of Origin	Germany
Price	**HK$26,800**



REFRIGERATOR

Measurements in mm

Dishwasher

Our dishwashers save time and energy alongside with complete flexibility and versatility. They also come fully equipped with an array of innovative technology, stylish design and user-friendly functions.

Do your bit for the environment. Choose a Siemens dishwasher.



The EU energy efficiency class

All dishwashers, regardless of manufacturer, carry an EU energy label. The label categorises the appliance according to its energy efficiency; Class A+++ appliances being the most energy efficient, Class D the least. The label also provides information on drying performance. All Siemens dishwashers are at least A+ rated in every category, with 2 dishwashers rated a top A+++ and a further one rated an impressive A++.

To help you spot the real energy-saving champions, Siemens dishwashers rated A++ or above carry a Siemens eco+ logo.

Best results – and we're not just talking about cleaning: the A+++ energy label.

Thanks to the latest sensor technology and other innovative solutions, Siemens dishwashers save a lot of water and a lot of energy. Their excellent efficiency is why many Siemens appliances bear the A+++ energy label, meaning that they're 30% more efficient than appliances in energy efficiency class A. Our premium models even reach 10% more energy saving than the ultimate A+++ class which devotes the greenest ability to wash your dishes.

98% of all components in a Siemens dishwasher are recyclable.

7 L
Water

Saving water to save energy

It's a popular misconception that washing up by hand saves water, but the figures speak for themselves. Most of our dishwashers use as little as 7 litres of water per wash! On average, that's an incredible 53 litres of water less, per load, than washing up by hand. And the energy required to heat all that washing-up water? More than thrice as much as a Siemens Zeolite® dishwasher uses on an economy 50°C wash programme.

* The energy required to heat 60 litres of water (washing up by hand) from 15°C to 55°C is around 2.4kWh while the energy used by an SN56V594EU dishwasher is 0.67kWh for an economy 50°C wash programme.



Consumption per load/place setting
1997: 12 place settings
2012: 13 place settings

Source: BSH Bosch and Siemens Hausgeräte GmbH



Dishwasher delivers better hygiene



The dirty truth about sponge

A Kitchen Hygiene Study was conducted in Singapore[1] in 2011, in which one of the studies aims to help identify where germs accumulated in the average Singaporean's kitchen. The result shows that sponge is the "germist" item in the study.

- 100% had presence of a coliform type bacteria
- 84% tested had traces of Salmonella
- 36% had found E.coli
- 4 sponges had Serratia growth

Even though manual dishwashing relies on mechanical motion between sponges and dishes as the main cleaning factor, the above study shows the sponge is doubtful to be a desirable washing tool. Moreover, manual dishwashing is less effective than washing up by dishwasher where temperature can rise up to 70°C and the ingredient of detergent is ultimately designed for removing food residues like starch, protein or bleachable stains. It has been proven in different studies by Bonn University[2] showing that dishwasher delivers better cleaning result than washing by hands.

[1] BRASS (2011). Finish/Bosch Kitchen Hygiene Study in Singapore
[2] Bonn University (2009). Manual dishwashing habits: an empirical analysis of UK consumers

Eliminate harmful germs with a dishwasher

What are the benefits of using dishwasher? Dishwasher delivers high water temperatures and water pressures plus strong chemicals in dishwashing tablets, effectively kill harmful bacteria.[1]

1. Kills germs on dishes to provide maximum protection – given that E. coli thrives in temperatures up to 44°C, it is unlikely for E.coli and other pathogens to survive a standard cycle in a dishwasher where temperatures can rise up to 70°C.[2] Coupled with powerful cleaning agents in dishwashing tablets, these higher water temperatures and increased water pressure of dishwashers will effectively remove microorganisms on plates.[1]

2. Reduce the risk of cross-contamination because it eliminates the need for dish sponges and kitchen towels.

[1] Ihne, Sarah (2006) Investigation of chemical and microbiological residues cleaned by hand and machine on the basis of special examples. /Schriftenreihe der Haushaltstechnik Bonn, Bd. 1, Shaker Verlag, Aachen (II)

[2] Mattick et al. (2003) The survival of foodborne pathogens during domestic washing-up and subsequent transfer onto washing-up sponges, kitchen surfaces and good.

Cutting-edge Zeolite® drying technology

Faster drying and lower energy consumption, naturally.

Our new super-efficient drying technology makes use of zeolite, a class of naturally occurring minerals with the astonishing ability to absorb water molecules and then release them as energy. The results? Very dry dishes – even plasticware – in less time, and using less energy.

Zeolite® dishwasher wins the "Innovation Prize for Climate and Environment"

Siemen's Zeolite® dishwasher has been awarded the "Innovation Prize for Climate and Environment" by the German Federal Ministry for the Environment and Nature Conservation (BMU) and the Federation of German Industries (BDI). High recognition was shown for the Zeolite® drying technology's dedication to environmental protection and excellent energy efficiency.

Zeolite®-Drying

IKU Year 2010

Discover the benefits of Zeolite® dishwasher
Scan our QR code to find out more.



1. Drying Phase
Zeolite absorbs moisture and converts it to heat energy.



2. Cleaning Phase
As the mineral is heated during the cleaning cycle, it is recharged and ready to absorb moisture once more.



The new TFT display for better visibility and more operating convenience

Siemens speedMatic dishwashers are already among the world's fastest and most economical while delivering shining results. But that's not enough for us. We developed the new high-resolution TFT display to make dishwashing even more convenient. It presents all information on activated cycles at a glance – clearly arranged so it's easy to understand. Selecting individual cycle settings is as simple as possible and your choices immediately appear on the display in white on black for your verification.

Extra care to your dishwasher

Retractable hinge

Siemens is the market leader of dishwasher and provides not only good products but also solutions. Generally it is difficult to install a dishwasher under a taller height worktop with short plinth height. Siemens makes a difference as its dishwashers give you a peace of mind. Simply install it by using the two-piece hinge accessory (SZ73010). The bottom custom panel is mounted on a hinge mechanism that moves the panel downwards and out of the way to make room for the door when it is opened. Siemens dishwasher can fit any design of base units perfectly.

10-year warranty against rust through of the inner tub in a Siemens dishwasher

There is one thing you can find in your Siemens appliances: long-lasting quality. The inner tubs of all Siemens dishwashers combine high quality stainless steel sheets, innovative technologies, and special surface treatment. Therefore, we are confident to offer a 10-year warranty against rusting-through in the inner tub of Siemens dishwasher.

Maximum flexibility for loading your dish

varioDrawer Plus

The new varioDrawer Plus not only makes dishwasher loading more flexible, but now offers even more flexibility of its own. With its height-adjustable side components and foldable racks at the front end of its central area, it even has space for wide-handled knives, soup ladles, teacups and espresso cups.

Discover the benefits of varioDrawer Plus
Scan our QR code to find out more.

Increased capacity with varioDrawer Plus

Foldable

The foldable racks at the front of the cutlery tray can be conveniently folded down to make room for wide-handled knives and utensils.

Height-adjustable

With the simple press of a button, you can lower the trays on the left- and right-hand sides and make room not just for espresso cups, but for teacups and smaller coffee cups as well.

varioFlex Plus basket offers maximum flexibility

varioFlex Plus is an innovative and premium racking system that offers remarkably new levels of comfort and flexibility for both upper and lower baskets loading. Designed with a superb glass rack, it allows stacking up to 12 wine glasses in the lower basket and up to 6 in the upper basket. Moreover, up to 6 rows of prongs can be folded in both the upper and lower baskets to make extra room for pots and pans.
The depth of the baskets is now increased by 4cm enabling a 13 rather than 12 place settings. Combine this with varioDrawer Plus, a 14 place settings can be easily achieved.

varioFlex Plus basket



rackMaticPlus basket

The new rackMaticPlus basket allows the adjustability of the top basket by three levels, even when fully loaded. This new system allows placement of dishes as large as 30cm in diameter in the lower basket, adding flexibility to accommodate pots and large Chinese style utensils.

rackMatic

Full power in a small space: the new speedMatic45 dishwasher with duoPower double spray arm

The less space, the more valuable it is. Siemens 45cm dishwasher is ideal for small but luxury kitchen. With the new and high performance duoPower double spray arm and varioDrawer, they can provide complete coverage of the upper basket and washing small cutleries in a convenient way. The dishwasher also guarantees A++ energy efficiency rating and washes up to 10 standard place settings with 9 litres of water.

45 cm
Width

Where space is limited, unlimited flexibility makes room.

The world's first duoPower double spray arm

Siemens has now developed the world's first double spray arm innovatively contributes to a thorough coverage of the upper basket which guarantees optimal water distribution. This results in a more efficient cleaning performance and ultimately in sparkling clean dishes.



More flexibility to load your cutleries: varioDrawer

The varioDrawer serves as an additional loading level. Due to its special shape, it not only provides a place for cutlery, but also for soup ladles, salad utensils, and even small items such as espresso cups. And because there's no longer a receptacle for cutlery in the lower basket, there's now room for up to 10 standard settings – or, of course, a lot of pots and pans.

Baking sheet spray head

Larger items such as baking trays and oven shelves can be washed simply by removing the upper basket and attached the spray head at the inner back.

Discover the benefits of speedMatic45 dishwasher
Scan our QR code to find out more.

speedMatic Modular dishwasher complements your kitchen with total versatility

Flexible and great looking kitchen

speedMatic fits well into different ready-made cupboards such as under the worktop, inside a tall cupboard or above worktop in plinth-less cabinets.

Specially designed at a height of 45cm to sit harmoniously with Siemens Compact45 series, for example coffee machine, steam oven, etc., or of 60cm to perfectly align with standard size of cooking appliances such as your oven. With speedMatic, your kitchen becomes the showcase of creativity and individuality.

Different capacities tailored for different purposes

Unlike traditional dishwasher, speedMatic offers two different capacities – a 6 place setting (45cm) or a 8 place setting (60cm). The 6 place setting best fits into small household with light wash load while the 8 place setting for large dishes. Furthermore, both options go well for family who looks for a substitute to their standard dishwasher for special purpose such as small size for hygienic washing and large size for bulky washing or simply just a replacement. This gives you a high flexibility in usage.

Discover the benefits of speedMatic Modular dishwasher
Scan our QR code to find out more.

The flexible basket of 45cm speedMatic dishwasher 6 place settings

Upper basket (left) and lower basket (right) of 60cm speecMatic dishwasher 8 place settings



Quality re-assured.

All our dishwashers are fully tested during production for safety, function and noise. Some are selected and kept continuously on test in our factory for 24 hours a day on the 50°C programme for up to 2,200 washes – the equivalent of 10 years' usage. So you can be confident that your new Siemens dishwasher is not only built to last, but will continue to do its job perfectly for many years to come.

The representations of the best technology and the latest innovations



aquaSensor

aquaSensor makes use of a light sensor to measure the turbidity of the rinsing water. Water that is qualified to be re-used will be transferred to the next rinse cycle, hence water consumption can be reduced by 3-6 litres.

The impeccable detergent dosageAssist

Thanks to the dosageAssist idea, the tablet now falls into a small catch tray, followed by an aimed jet of water that dissolves and then distributes evenly in the entire machine for the best result every time. dosageAssist is compatible with powder, gel or liquid detergent.

Three plus filter system

Our easy to remove and clean filter system comes in three parts: a fine micro-filter, a fine filter and a coarse filter. With 50% more surface area between them, they allow up to 15% more water to circulate through the system. This extra amount represents the cleaning power of over 50 baths of water.

Heat exchanger

With the heat exchanger, high temperature for the first rinse also pre-heats sufficient cold water within the machine's tank for the next rinse, protecting fragile items such as your delicate wine glasses from rapid temperature change. Ensuing steam for the drying process reacts with the cold water tank surface to condense and cool the machine air. Without contact with outside air, the entire wash/dry cycle is self-contained and absolutely hygienic.

aquaStop

Immediately the dishwasher senses a leak it stops the water flow, and activates drainage of ponding to prevent harm to other furniture and appliances.

* If water connection is outside the cabinet of the machine, a 10 x 10cm cut-out hole on the cabinet partition is needed for the aquaStop pipe to pass through.

iQDrive

Innovative friction-free, brushless magnet technology means that wear and tear on the iQDrive motor is virtually non-existent. So whether you're using the eco setting, or intensive programme, the high performance motor will give you cleaning results just as perfect and energy efficient as the first time you use it, wash after wash.

Easy to read and intuitive to operate: the new TFT color display with plain text.

With its high contrast and high resolution, the new TFT color display with plain text is now even more readable from every angle. Clear animations ensure a quick, intuitive grasp of all functions and better user guidance for even greater operating convenience. What this means for you: everything's under perfect control at all times.



TFT-Display

Showing your dishes in the best possible light: emotionLight

Show-off your sparkling clean glassware beautifully with the cool blue emotionLight. LED light lights high in the door frame bathe the interior of the dishwasher in beautiful blue light when you open the door, and switch off again when you close it. The LED lights never need to be changed and will last for lifetime of your dishwasher.

emotionLight

Visible everywhere: timeLight

Our dishwashers are so quiet, it's sometimes difficult to know when the cycle has finished, or what stage it is at. That's why we developed the stylish, innovative timeLight which projects the time remaining and cycle status onto your kitchen floor. The bright projection is clearly visible any time of day or night, and on any type of floor surface.

timeLight

Discover the benefits of TFT display in Siemens dishwasher

Scan our QR code to find out more.

Range of programmes guarantees great results

Shortens the dishwashing cycle by up to 66%*: varioSpeed Plus.

Optimally wash and dry a large load of dishes within the shortest possible time – thanks to varioSpeed Plus. Just press a button and the washing time is already reduced by up to 66%*. This makes varioSpeed Plus ideal for family celebrations and parties.

* Does not apply to the Pre-rinse or QuickWash cycle.

varioSpeed Plus

Germ-free dishwashing: the hygienePlus functions

The hygienePlus function is ideal for cleaning containers and utensils that must be sanitary, such as baby bottles and cutting boards. During the rinse cycle, a high temperature of approximately 70°C is maintained for a period of 10 minutes, killing up to 99.9% of all bacteria and germs.

hygienePlus

intensiveZone allows dual pressure for mixed load

Siemens intensiveZone makes cleaning of soiled pots and fragile glasses together possible and does not impact the pre-selected programme. Enabling the intensiveZone will generate 20% more spray pressure and a higher temperature in the lower rack so that the most stubborn soiling is taken care of. A perfect dishwashing result is guaranteed for mixed loads.

intensive Zone

Extra Dry

Increase water temperature and prolong drying time during final rinse which results in better drying performance.

Extra dry

High Gloss Drying

This new drying technology uses extra amount of water in the intermediate rinse. Together with the extension in drying phase, it provides brilliant shine and hygienic drying performance, and perfectly fit for your delicate wine glasses.

High Gloss Drying

Dishwasher

	60cm built-in Zeolite® dishwasher

***Available in Q4 2012**



Model	**SN56V594EU**	
Capacity	13 place settings	
6 Programmes	• Auto 65°C - 75°C • Auto 45°C - 65°C • Auto 35°C - 45°C	• Eco 50°C • Quick 45°C • Pre-rinse
Functions	• varioSpeed Plus • hygienePlus	• intensiveZone • High gloss drying
Technology	• Zeolite® Drying • aquaSensor • Heat exchanger	• aquaStop anti-flood system • dosageAssist • iQ drive technology
Flexibility	• 3 stage rackMatic height – adjustable top basket • varioDrawer Plus	• varioFlex Plus basket system • 1-24 hours delay start timer
Design	• High definition colour TFT display showing washing progress and remaining time • Interior blue emotionLight	• Stainless steel metalTouch operation • Full flexibility of door panel at your choice (not included accessory)
Safety	Childproof door lock	
Technical Information	• Energy efficiency class: 10% more efficient than A+++ class • Drying performance: Class A • Consumption rates (Eco 50°C programme) - Water 7L - Electricity 0.67kWh • Noise level 44dB • Total connected load 2.4kW (13A)	
Appliance Dimensions (H x W x D)	815-875 x 598 x 573mm	
Country of Origin	Germany	
Price	**HK$23,800**	







Connection dimensions for all 60cm dishwashers
( ) values with extension set SZ72010

Measurements in mm

Dishwasher

	60cm fully integrated Zeolite® dishwasher

***Available in Q4 2012**

Model	**SN66V092EU**	
Capacity	14 place settings	
6 Programmes	• Auto 65°C - 75°C • Auto 45°C - 65°C • Auto 35°C - 45°C	• Eco 50°C • Quick 45°C • Pre-rinse
Functions	• varioSpeed Plus • hygienePlus	• intensiveZone • High gloss drying
Technology	• Zeolite® Drying • aquaSensor • Heat exchanger	• aquaStop anti-flood system • dosageAssist • iQ drive technology
Flexibility	• 3 stage rackMatic height – adjustable top basket • varioDrawer Plus	• varioFlex Plus basket system • 1-24 hours delay start timer
Design	• timeLight (white) • Interior blue emotionLight • Stainless steel metalTouch operation	• Full flexibility of door panel at your choice (not included accessory)
Safety	Childproof door lock	
Technical Information	• Energy efficiency class: 10% more efficient than A+++ class • Drying performance: Class A • Consumption rates (Eco 50°C programme) - Water 9.5L - Electricity 0.74kWh • Noise level 43dB • Total connected load 2.4kW (13A)	
Appliance Dimensions (H x W x D)	815-875 x 598 x 550mm	
Country of Origin	Germany	
Price	**HK$22,300**	







Connection dimensions for all 60cm dishwashers
( ) values with extension set SZ72010

Measurements in mm

Dishwasher

	45cm fully integrated dishwasher

***Available in Q4 2012**

Model	**SR66T092EU**	
Capacity	10 place settings	
6 Programmes	• Auto 65°C - 75°C • Auto 45°C - 65°C • Auto 35°C - 45°C	• Eco 50°C • Quick 45°C • Pre-rinse
Functions	• varioSpeed Plus • hygienePlus	• intensiveZone
Technology	• aquaSensor • Heat exchanger • aquaStop anti-flood system	• dosageAssist • iQ drive technology
Flexibility	• 3 stage rackMatic height – adjustable top basket • varioDrawer	• varioFlex Plus basket system • 1-24 hours delay start timer
Design	• duoPower double spray arms • Baking sheet spray head • timeLight (white)	• Push button up controls • Full flexibility of door panel at your choice (not included accessory)
Safety	Childproof door lock	
Technical Information	• Energy efficiency class: A++ • Consumption rates (Eco 50°C programme) - Water 9L - Electricity 0.75kWh • Noise level 45dB • Total connected load 2.4kW (13A)	
Appliance Dimensions (H x W x D)	815-875 x 448 x 550mm	
Country of Origin	Germany	
Price	**HK$18,800**	







Connection dimensions for all 45cm dishwashers
( ) values with extension set SZ72010

Measurements in mm

Dishwasher

	60cm speedMatic Modular dishwasher

Model	**SC76M531EU**	
Capacity	8 place settings	
6 Programmes	• Intensive 70°C • Auto 45°C - 65°C • Eco 50°C	• Delicate 40°C • Quick wash 45°C • Pre-rinse
Functions	• varioSpeed • Hygiene	• intensiveZone • extraDry
Technology	• aquaSensor • Heat exchanger	• aquaStop anti-flood system • iQ drive technology
Control	• LED front panel display with remaining time indicator	• 1-24 hours delay start timer
Design	Stainless steel panel color	
Flexibility	Moveable cutlery basket	
Safety	Control panel lock	
Technical Information	• Energy efficiency class: A+ • Drying performance: Class A • Consumption rates (Eco 50°C programme) - Water 8.7L - Electricity 0.73kWh • Noise level 45dB • Total connected load 2.4kW (13A)	
Appliance Dimensions (H x W x D)	595 x 595 x 500mm	
Country of Origin	Spain	
Price	**HK$14,800**	









Nominal lengths:

AquaStop:	1.65m	Extension:	
Drain hose:	2.25m	AquaStop:	2.20m
Mains cable:	1.70m	Drain hose:	2.00m

Measurements in mm

Dishwasher

	45cm speedMatic Modular dishwasher

Model	**SK76M530EU**	
Capacity	6 place settings	
6 Programmes	• Intensive 70°C • Auto 45°C - 65°C • Eco 50°C	• Delicate 40°C • Quick wash 45°C • Pre-rinse
Functions	• varioSpeed • Hygiene	• intensiveZone • extraDry
Technology	• aquaSensor • Heat exchanger	• aquaStop anti-flood system • iQ drive technology
Control	• LED front panel display with remaining time indicator	• 1-24 hours delay start timer
Design	Stainless steel panel color	
Flexibility	Moveable cutlery basket	
Safety	Control panel lock	
Technical Information	• Energy efficiency class: A+ • Drying performance: Class A • Consumption rates (Eco 50°C programme) - Water 7.5L - Electricity 0.62kWh • Noise level 45dB • Total connected load 2.4kW (13A)	
Appliance Dimensions (H x W x D)	454 x 595 x 500mm	
Country of Origin	Spain	
Price	**HK$12,800**	









Nominal lengths:

AquaStop:	1.65m	Extension:	
Drain hose:	2.25m	AquaStop:	2.20m
Mains cable:	1.70m	Drain hose:	2.00m

DISHWASHER

Measurements in mm

Laundry

A combination of aesthetically pleasing design with ground breaking innovation, truly takes the humble chore of washing clothes into a whole new dimension.

WI14S440GB

varioSoft drum

The unique varioSoft drum designed in a teardrop shape of curved and flat sides harmonises with the asymmetric softDesign paddles to ensure optimal distribution of your laundry and water flow during washing. Accurate sensors and precise control electronics determine the best wash cycle for your favourite articles. Optimum drum and temperature operation ensures customised care to safeguard the quality of your laundry.

aquaStop

The aquaStop safety system guarantees protection against water leakage. If a leak does occur, aquaStop immediately cuts off the water supply from the tap to prevent harm to the machine or other furnitures.

Extra large multi-function display panel

The display panel and intuitive controls make using these appliances easy. Extra large LED multi-function display indicates the laundry clearly, while you can set washing temperature, spin speed and other additional washing options conveniently via the button to customise your needs.

Care for your laundry and care for the environment.

Energy saving comes automatically

Siemens washing machines are extremely energy-efficient and achieved EU Class A+. In fact, using as little as 0.17kWh/kg, they are up to 10% more efficient than required for a European Class A energy rating (0.19kWh/kg).

All Siemens washing machines automatically adapt the wash time and the energy consumption to the amount of laundry. Sensors weigh the laundry in the drum and the smaller the wash load, the less energy and water are used.

To help you spot the real energy-saving champions, the most energy-efficient appliances in our range also carry a Siemens Energy Efficiency Award logo.

98% of all components in a Siemens home laundry appliance are recyclable.

Hong Kong energy efficiency label

All Siemens' washing machines and washer dryers are proudly honoured with Grade 1 Hong Kong energy efficiency label.

Hong Kong water efficiency label

The Hong Kong water efficiency label is a voluntary scheme which was introduced in 2011. Machine that achieves Grade 1 can save up to 50% compared to the lowest Grade 4. To provide comprehensive information regarding water efficiency to customers, Siemens integrated washer and washer dryer have participated in the voluntary water efficiency scheme and achieved the highest grade 1 standard.

Consumption per kg laundry
(hot/colors 60°C)

Source: BSH Bosch and Siemens Hausgeräte GmbH

Washer dryer

	Fully integrated washer dryer

Model	**WK14D540HK**
Design	• Fully integrated • Frontloading • Electronic control • Large LED display indicates selected options and status information • Large washing and drying capacity
Features	• HK Energy Label: Grade 1 • HK Water Label: Grade 1 • Washing capacity: 6kg • Drying capacity (cotton): 4kg • Spin speed selection from 600 - 1,400rpm • Washing temperature from cold to 90°C • sensorDry drying control • Drying time selection • LED display indicates selected spin speed, washing temperature and special options, remaining time, washing / drying status • Active balance system – automatically adjusts uneven distributed laundry • autoLoad – this sensor precisely measures laundry weight and controls amount of water needed for washing • Foam detection • Start / Pause • Delay end timer: 1-24 hours • Programme end buzzer • aquaStop – anti-leakage system
Programmes / Additional options	• Programmes – Cottons, Cottons Eco, Easy-Care, Delicate / Silk, Wool, Outdoor, Shirts / Business, Mix, Night wash, Super 15', Rinse + Spin, Empty + Spin, Intensive Dry, Low Heat Dry, Fluff Clean • Additional options – Prewash, Intensive, Easy Iron, Water Plus, Quick wash
Technical Information	• Total connected load: 2.3kW (13A) • Porthole hinged on the left
Appliance Dimensions (H x W x D)	820 x 595 x 584mm
Country of Origin	Italy
Price	**HK$18,800**











Measurements in mm

Washing machine

	Fully integrated washing machine

Model	**WI14S440GB**
Design	• Fully integrated • Frontloading • Electronic control • LED display indicates selected options and status information
Features	• HK Energy Label: Grade 1 • HK Water Label: Grade 1 • Washing capacity: 7kg • Spin speed selection from 400 - 1,400 rpm • Washing temperature from cold to 90°C • LED display indicates selected spin speed, washing temperature, special options, remaining time and washing status • varioSoft drum • Active balance system – automatically adjusts uneven distributed laundry • Foam detection • Start / Pause • Delay end timer: 1-24 hours • Programme end buzzer • aquaStop – anti-leakage system
Programmes / Additional options	• Programmes – Cottons/Coloureds, Coloureds eco, Easy-Care, Easy-Care Dark, Mixed Fabrics, Delicates/Silk, Wool, Shirts/Business, Outdoor Wear, PowerWash 60', Rapid 15', Low spin, Empty, Spin, Rinse • Additional options – Prewash, Intensive Wash, Less Ironing, Extra Rinse
Technical Information	• Total connected load: 2.3kW (13A) • Porthole hinged on the left
Appliance Dimensions (H x W x D)	818 x 598 x 574mm
Country of Origin	Germany
Price	HK$13,300











Measurements in mm

Accessories

Although all our appliances are equipped with the necessary accessories, extra parts may be needed for installation. Delicate and professional cleaning on products is required to keep the appliances working at its top performance. And not to forget some accessories could optimize the usage of your appliances and enhance the outlook.

Buying accessories for Siemens appliances is done quickly and conveniently. All items are now available at Siemens showroom and our customer service centre. Not only that, you can now order your accessories via fax or postal service. What's more, we can deliver the accessories to your door and also install your accessories if required.*

* Terms and conditions apply. For details, please consult Siemens Product Hotlines.

Accessories - OVEN

	Model	Price (HK$)	HB78G1590S	HB36G1560S	HB33G2550S	HB23AB521W
System steam cooker	**HZ24D300**	**3,300**	■	■	■	■
Professional pan	**HZ333003**	**2,100**	■	■	■	■
Pizza tray	**HZ317000**	**620**	■	■	■	■
Wire shelf 	**HZ334000**	**620**	■	■	■	■
Insert wire shelf	**HZ324000**	**500**	■	■	■	■
Glass pan	**HZ336000**	**1,000**				■
Grill tray suitable for activeClean®	**HZ325070**	**800**	■	■	■	■
Baking stone with wooden spatula	**HZ327000**	**2,300**	■	■	■	■
3-level full extension telescopic rails with stop function 	**HZ338357**	**2,500**	■	■	■	■
Baking tray suitable for activeClean®	**HZ331072**	**770**	■	■	■	■
Universal pan suitable for activeClean®	**HZ332070**	**850**	■	■	■	■
Stainless steel roaster	**HZ390010**	**3,800**	■	■	■	■
Lid for professional pan	**HZ333001**	**1,000**	■	■	■	■
ecoClean® set	**HZ329028**	**2,500**		■		
	HZ329027	**2,500**			■	
Odour and grease catalyzer	**HZ329000**	**500**	■	■		
K2r cleansing gel for oven	**463582**	**110**		■	■	■

Accessories - Compact45

	Model	Price (HK$)	HB38D575	HB34D553B	HB26D555	HB25D5L2	HB86K575	HF25G5L2	TK76K573GB
Small cooking container (Solid, 40mm deep, GN2/3)	**HZ36D513**	**720**			■	■		■	
Small cooking container (perforated, 40mm deep, GN1/3)	**HZ36D513G**	**760**			■	■		■	
Large cooking container (Solid, GN2/3)	**HZ36D532 - 28mm deep**	**760**			■				
	HZ36D533 - 40mm deep	**760**	■	■					
Stainless steel tray (perforated, GN2/3)	**HZ36D533G**	**840**	■	■	■				
Porcelain tray (solid, GN1/3)	**HZ36D513P**	**570**	■	■	■				
Porcelain tray (solid, GN2/3)	**HZ36D533P**	**630**	■	■	■				
Roasting set 	**HZ36DB**	**810**	■	■					

	Model	Price (HK$)	HB38D575	HB34D553B	HB26D555	HB25D5L2	HB86K575	HF25G5L2	TK76K573GB
Dishwasher-safe metal grease filter	**HZ36DF**	**620**	■	■					
K2r cleansing gel for oven	**463582**	**110**					■		
Water absorption sponge	**643254**	**160**	■	■	■	■			
Cleaning tablets (10pcs)	**310575**	**220**							■
Descaler fluid (500ml)	**311138**	**490**							■
Descaler tablets (6pcs)	**310967**	**220**							■
Water filter	**467873**	**220**							■

ACCESSORIES

Accessories - HOB

	Model	Price (HK$)	ER326AB91X/ BB90X	ER326AB90L/ BB90L	EC945RB90X	EH375ME11E	ET375MF11E	ET375MU11E	ET375MA11E	ET475MY11E	EH875MN11E	EH675MV11E	EH675MR11E	EH675MD11E	ET675MG11E
Wok (radiant and induction hobs)	HZ390090	2,760				■	■	■	■	■	■	■	■	■	■
Connection set 	HZ394301	900	■	■	■	■	■	■	■	■	■	■	■	■	■
Stainless steel roaster	HZ390010	3,800	■	■	■	■	■	■	■	■	■	■	■	■	■
Ceramic glass care (cleaning)	311413	210	■	■		■	■				■	■	■	■	■
CERAQuick® glass scraper	087670	160	■	■		■	■				■	■	■	■	■

Accessories - HOOD

	Model	Price (HK$)	LF21BB550	LF91BB550	LF259RB50	LF959RB50	LC257BB40	LC91BA560	LC98BB540	LI46930	LI46630
Installation set for LI46930 installed in a 90cm wall unit	**LZ49100**	**800**								■	
Handle strip with brand logo	**LZ46050 - 60cm**	**800**									■
	LZ49050 - 90cm	**800**								■	
Charcoal recirculating kit - telescopic hood 	**LZ45500**	**800**								■	■
Charcoal recirculating kit - wall mounted hood 	**LZ53450 - 90cm**	**800**						■	■		
	LZ52350 - 120cm	**800**					■				
cleanAir recirculation kit - wall mounted hood	**LZ56300 - 90cm**	**1,800**						■	■		
	LZ56100 - 120cm	**1,800**					■				
cleanAir recirculation kit - island hood	**LZ56600**	**2,300**	■	■							
cleanAir recirculation kit - ceiling hood	**LZ56700**	**3,500**			■	■					

	Model	Price (HK$)	LF21BB550	LF91BB550	LF259RB50	LF959RB50	LC257BB40	LC91BA560	LC98BB540	LI46930	LI46630
Chimney extension 90cm wall mounted hood LZ12265 LZ12365	**LZ12265 - 1000mm**	**2,000**						■	■		
	LZ12365 - 1500mm	**3,100**						■	■		
Chimney extension 120cm wall mounted hood  LZ12260 LZ12360	**LZ12260 - 1000mm**	**2,600**					■				
	LZ12360 - 1500mm	**3,100**					■				
Chimney extension island hood LZ12285 LZ12385	**LZ12285 - 1100mm**	**2,600**	■	■							
	LZ12385 - 1600cm	**3,100**	■	■							
Extension for mounting kit 500mm	**LZ12510**	**1,300**	■	■							
Extension for mounting kit 1,000mm	**LZ12530**	**2,200**	■	■							
Adapter for roof inclination left/ right	**LZ12310**	**1,500**	■	■							
Adapter for roof inclination front/ back	**LZ12410**	**1,500**	■	■							

Accessories - REFRIGERATOR

	Model	Price (HK$)	KA62DP92GB	KS36VAI31	GS36NAI31
Water filter	**643046**	**580**	■		
Connection set	**KS36ZAL00**	**1,800**		■	■

Accessories - DISHWASHER

	Model	Price (HK$)	SN56V594EU	SN66V092EU	SR66T092EU	SC76M531EU	SK76M530EU
Baking sheet spray head	**612114**	**160**	■	■	■		
Silverware basket - For protecting silver cutlery from corrosion	**432377**	**210**				■	■
	646179	**550**	■	■	■		
Retractable hinge - For taller height installations	**SZ73010**	**1,500**	■	■	■		
Bottle / tall glass holder - Helps the dishwasher spray jets reach and clean the inside of the bottle / tall glass and results in more thorough cleaning	**613051**	**220**	■	■	■		
Small item clips (3pcs) - Special clips assist cleaning of small items	**613052**	**130**	■	■	■		
Slim cutlery basket	**646196**	**280**	■	■	■		
Cutlery basket	**668270**	**210**	■	■			
Rack insert for stemware - Special crockery basket for washing cups and long-stemmed glasses for a thorough cleaning 	**670481**	**690**	■	■			

Enhance the look on your stainless steel appliances

Cleaning your precious appliances requires easy to use yet professional cleaning agent, to do that we recommend:

Conditioning Oil for Stainless Steel Surfaces (Product code: 311135)

- Keeps stainless steel appliances looking good
- Special oil protects against the build up of dirt and marks such as fingerprints
- Simply wipe over the surface
- Avoid using around appliance control markings
- Suitable to use on the stainless steel surfaces of Washer, Dryer, Dishwasher, Refrigerator and Hood
- Volume: 100ml
- Price: HK$210

Conditioning Cloths for Stainless Steel Surfaces (Product code: 311134)

- Leave attractive shiny finish on stainless steel surfaces
- Protect surface from further marks such as fingerprints
- Cloths are impregnated with special conditioning oil
- Avoid using around appliance control markings
- Suitable to use on the stainless steel surfaces of Washer, Dryer, Dishwasher, Refrigerator and Hood
- Each box contains 5 cloths individually packed
- Price: HK$130

Siemens Services

At Siemens Home Appliances, we are dedicated to provide the best. That's why we are proud to present to you — **Siemens Home Expert** — a full range of services to take care of your appliances and assist you with all your after-sales needs. Just sit back and let us do the rest.

We Care – For a Lifetime!

Trouble-free – Simply Quality!

All Siemens home appliances are thoroughly inspected before leaving the production plants. This simply gives us full confidence to provide you 2-year full coverage warranty on full range of our products including inspection and maintenance. That's not all! We also provide 5-year warranty for the compressor of all Siemens refrigerators, 10-year warranty for the iQdrive motor of our washing machines and against rust-through of the inner tub of all dishwashers. We guarantee you with the best quality and a complete peace of mind.

Enjoy Instantaneity

Once you place your order, we will deliver on the next working day to make sure you can enjoy the new appliances with no further wait. Wait? No way!

Enjoy Efficiency

We provide delivery and installation services on the same day. Our specialists will set up your appliances and have them ready for use right away. With our efficient delivery and installation services, you have more time to enjoy your new home appliances.

Enjoy An Uninterrupted Schedule

You don't have to worry if you are only available in the evenings. We promise that we do our best for you. Thus we provide you evening installation service from Monday to Saturday which ends at 8 pm. With our extended service hours, you can have your appliances installed at your most convenient time.
Good Evening!

Browse What You Need 24-7

We provide a list of customer services online, including repair service appointments and warranty registration. Visit our website at **siemens-home.com.hk** to subscribe to our services anytime, anywhere.

Hassle-free Rental

You worry that there would be no appliances to use when they are scheduled for maintenance or repair? Just relax and let our specialists handle the rest because we provide FREE rental of our home appliances such as washer and fridge when they are scheduled for maintenance or repair. Our services are always available when you need them the most!

Rid Old For The New

Siemens is a proud supporter of environmentally friendly initiatives. We provide disposal services for your free-standing home appliances at no extra cost when you purchase home appliances from us. We appoint government approved recycling organisations for the disposal to ensure proper dismantling of the appliances and also minimise pollution to the environment.

Home Delivery

Not only we deliver the appliances to your home, we provide 'Home Delivery' service of the accessories you have purchased.

Supply Parts For At Least A Decade

You don't have to worry of not being able to repair your machine because of no suitable parts. Siemens ensures the essential parts for the machine are available for a further 10 years or even longer.

* For details, please do not hesitate to contact our Sales Consultant or call Siemens Product Hotline at 2625 5577.

Siemens Experience Centre

The design of the new Siemens Experience Centre in Hong Kong is built upon a unique concept that embodies the beauty of simplicity and eco-consciousness.
The brand and product showcase facility is designed to reflect the German approach of a simplistic, sophisticated and relaxing way of life that resonates with the Siemens brand. Visitors will gain a personalized experience of the performance and functionality of Siemens home appliances, intelligent green living supported by professional advice and dedicated customer service. Down to every detail, the Siemens Experience Centre reflects the brand's user-friendly yet elegant German approach to design and innovation.

Location: 1/F, Baskerville House, 13 Duddell Street, Central, Hong Kong

Product Hotlines: 2625 5577 (Hong Kong) /
0800 030 (Macau local call only)

Siemens Showroom
Shop G1, G/F, Baskerville House, 13 Duddell Street
(22 Ice House Street), Central, Hong Kong

Certain appliances shown in this catalogue are not available in Hong Kong.

Model numbers and specifications are for reference only and are subject to change without prior notice. Siemens is continuously seeking to improve specification, design and production of its appliances and alterations may take place regularly. All descriptions and installation diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction manual supplied with the appliance. Electrical and gas connections should only be made in accordance with the regulations of the national authorities.

Right of technical modification reserved, delivery subject to availability, colors of actual products may vary from illustrations.

©2012 by BSH Home Appliances Ltd. Reproduction, complete or in part, only with the express permission of the publisher. Printed in Hong Kong. 10.2012

Your dealer will be able to provide you with reliable information.

商界展關懷
caringcompany
2008-12
Awarded by The Hong Kong Council of Social Service
香港社會服務聯會頒授